

SPECIAL 2026 WORLDWIDE



Das Werkzeug



30 years of partnership

Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest.
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.

RACEBORN



SWW26/EN/IL/9


OFFICIAL SUPPLIER

PORSCHE
MOTORSPORT

LIMITED SPECIAL EDITION

30 years of partnership



 **Made in Germany**

Limited edition:
Strictly limited to
300 pieces!

Limited edition badge
with consecutive number



Welcome Case



Key for tool trolley
179NXXL-7PD incl. high-quality
HAZET Porsche Motorsport
key ring

179NXXL-7/430PD

EAN-No. 4000896281077

 *** 35,910.-**



Available from April 2026!

Note: The tool trolley shown is included once in the set. The views shown at (front and rear) are for illustrative purposes only.

**Porsche 911
GT3 R**

**Body colour
GT Silver**

179NXXL-7PD


**Door and
tool trolley handle
in Porsche Red**

Non-marking

**Black
rims**

163-644/266-PD

6.3 1/4 10 3/8 12 1/2 6.3 1/4



163-515/16-PD

20 3/8 12 1/2 6.3 1/4 20 3/8




163-683/6-PD

6.3 1/4

163-682/89-PD

6.3 1/4 10 3/8 12 1/2 6.3 1/4

s 6x7 - 34x36 mm, s 6 - 32 mm



HAZET and Porsche Motorsport celebrate 30 years of partnership:

Highlight – our strictly limited tool trolley

Assistent® 179NXXL-7PD in an attractive Porsche 911 GT3 R design.

This edition is exclusive and limited to **300 pieces** worldwide!

This coveted collector's item is rounded off with **430 expert tools**, including some from the popular **Racing Tool Line**.

Inspired by the design of the brand new **Porsche 911 GT3 R**, the tool trolley combines striking Porsche Motorsport elements with the highest **HAZET** quality. Don't waste time in securing the special statement of our joint **30-year success story**.

163-645/45-PD

6.3 1/4 10 3/8 12 1/2 6.3 1/4



163-510/8-PD

RACING TOOL LINE



6
Screwdriver set

| | | |
|-----|---------|---|
| 4 x | 6.3 1/4 | 0.5x3.0 0.8x4.0 1.0x5.5 1.2x6.5 mm |
| 2 x | 6.3 1/4 | PH 1 PH 2 |

HAZET SMART CASE

50

6.3 1/4 6.3 1/4 6.3 1/4

SmartCase socket set

2200SC-2-PD

EAN-No. 4000896276011

€ 926.-

811/6-PD

EAN-No. 4000896275731

€ 169.-



1/2" Torque wrench

40 - 200 Nm · ±3%

5122-3CT-PD

EAN-No. 4000896276745

€ 1,191.-


Made in Germany



Our new powder coating plant sends a strong signal about our Remscheid location and our corporate philosophy, which is based on state-of-the-art, professional production **Made in Germany**. It complements our fully automatic laser/punching and bending centres as well as our welding robots.

As one of the most modern facilities in Europe, the powder coating plant ensures that our Assistent® brand tool trolleys and work benches receive their characteristic, long-lasting protective coating. At the same time, the use of materials and energy is more sustainable.

This makes our premium products even more flexible and faster to produce, including significantly faster colour changes, in our highest HAZET top quality.



INDIVIDUAL COLOURS:

- ▶ You can choose an individual colour from a production run of just one tool trolley (applies to the colour of the trolley body).
- ▶ 24 RAL colours can be implemented at short notice (colours in stock)
- ▶ Other colours on request

| | | | | | |
|---------|--|---------|--|---------|--|
| RAL1021 | | RAL5012 | | RAL7016 | |
| RAL2002 | | RAL5013 | | RAL7021 | |
| RAL3000 | | RAL5015 | | RAL7035 | |
| RAL3002 | | RAL6005 | | RAL8022 | |
| RAL3020 | | RAL6018 | | RAL9003 | |
| RAL5005 | | RAL7004 | | RAL9005 | |
| RAL5010 | | RAL7012 | | RAL9006 | |
| RAL5011 | | RAL7015 | | RAL9016 | |

Available from 1 piece,
Surcharge for colour

349.-







SAFETY

for electronic components!

Protect yourself against the dangers of electrostatic discharge (ESD) and ensure safety and quality for your electrostatic-sensitive parts (ESP)!



NEW!



179N-ESD

Made entirely from conductive materials!

- The tool trolley Assistent 179N-ESD features special materials and earthed areas to prevent damage or destruction of electrical components in the event of possible static discharge
- Certified according to IEC 61340-5-1

Made in Germany


| HAZET No. | Number of drawers | EAN-No. 4000896 + | 🔌* |
|-----------|-------------------|-------------------|---------|
| 179N-7ESD | 7 | 276516 | 9,409,- |
| 179N-8ESD | 8 | 276493 | 9,942,- |



- ESD powder coated handle
- ESD-compatible plastics: Cover and edge protection
- Full-surface ESD powder coating (HAZET blue)
- ESD marking
- ESD-compatible non-marking castors (grey)
- ESD academy (Product certificate)

WORTH KNOWING:

- ▶ Even low voltages significantly < 100 V impair functions, damage or destroy sensitive electronic components
- ▶ Problem: You often do not notice it until it's too late and the device is defective!
- ▶ Solution: ESD-compatible tool trolleys support the safe handling of components



* Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.

You have the choice between our tool trolley with stainless steel or plastic work surface or the stable work bench. Choose from our assortment: HAZET **Basic** or **Comfort**!

Basic assortment: 234 expert tools

234

Including

HiPer
90 teeth · 4° ·
1000 Nm (1/2")

163-513/122N



Basic assortment with tool trolley 179N-8

179N-8/234

EAN-No. 4000896278947

NEW!

€ 18,450.-

163-526/41N



NEW!

Basic assortment with tool trolley 179NX-8

179NX-8/234

EAN-No. 4000896278961

Stainless steel work surface



€ 19,260.-

163-672/46



Comfort assortment: 320 expert tools

320

Including

HiPer
90 teeth · 4° ·
1000 Nm (1/2")

163-513/122N



Comfort assortment with tool trolley 179N-8

179N-8/320

EAN-No. 4000896279005

NEW!

€ 24,660.-

163-526/41N



NEW!

Comfort assortment with tool trolley 179NX-8

179NX-8/320

EAN-No. 4000896279029

Stainless steel work surface



€ 24,660.-

163-672/46



Basic assortment with work bench 179NW-7

179NW-7/234

EAN-No. 4000896278985

NEW!

€ 21,870.-



Comfort assortment with work bench 179NW-7

179NW-7/320

EAN-No. 4000896279043

NEW!

€ 28,125.-

163-609/61



163-372/25



Including 2128N-1




179NXL-8/440 with 440 expert tools

163-644/266



163-528/56 s 6x7 – 34x36 mm, s 6 – 32 mm,
s 8 – 19 mm, s 6x7 – 24x27 mm



163-647/45



163-604/34N



4/3+

179NXL-8/440
EAN-No. 4000896247974

€ 32,129.-

Including
HiPer
90 teeth · 4° ·
1000 Nm (1/2")



163-605/39N



Supplement:

163-650/60



Order directly:

163-650/60
EAN-No. 4000896274567

€ 3,420.-

* Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.

179NXL-8S1/515 with 515 expert tools

Including
HiPer
90 teeth · 4° ·
1000 Nm (1/2")



762-15
Clamping range:
33 mm
Length: 150 mm

Made in Germany


762-26
Clamping range:
56 mm
Length: 260 mm

Incl. grip pliers wrench

More information on page 25



179NXL-8S1
Made in Germany
Wide design: 959 mm



179NXL-8S1/515
EAN-No. 4000896275915

38,433.-



515

Assortment



Made in Germany

NEW!

Incl. new 3/4" impact adapter, quick coupler

More information on page 53

163-646/61 s 6 x 7 – 34 x 36 mm · s 6 – 32 mm; s 10 – 22 mm · s 8 – 19 mm · 762-15, 762-26



163-650/60

179NXXL-7/352 with 352 expert tools

Stainless steel work surface
EDELSTAHL Rost frei

352

5/3+

Including
HiPer
 90 teeth · 4° ·
 1000 Nm (1/2")

Assortment



Including
 2128N-1



1020 mm




179NXXL-7
 Made in Germany
 Extra wide: 1,133 mm

163-481/194N



163-511/4




163-646/61

s 6 x 7 – 34 x 36 mm · s 6 – 32 mm; s 10 – 22 mm ·
 s 8 – 19 mm · 762-15, 762-26



163-382/3



762-15
 Clamping range:
 33 mm
 Length: 150 mm



762-26
 Clamping range:
 56 mm
 Length: 260 mm

Incl. grip pliers wrench

More information on page 25

179NXXL-7/352
 EAN-No. 4000896279104

*** 28,800.-**

NEW!

163-480/57N



163-510/8



179NXXL-8/399 with 399 expert tools

5/3+

Including
HiPer
90 teeth · 4° ·
1000 Nm (1/2")




Including
2128N-1



163-481/194N



163-172x50



1020 mm

163-259/14




163-646/61

s 6 x 7 – 34 x 36 mm · s 6 – 32 mm;
s 10 – 22 mm · s 8 – 19 mm · 762-15, 762-26



163-674/15




Incl. grip pliers wrench

More information on page 25

163-480/57N




163-380/4N



163-479/26



163-382/3



179NXXL-8/399
EAN-No. 4000896279128

* **36,963.-**

NEW!



179NXXL-8D/619 with 619 expert tools

Stainless steel work surface
EDELSTAHL Rost frei

619



Over 30% more drawer depth!

With lateral door and socket strip



163D-10/30

- s 5x5.5 – 34x36 mm
- s 6x7 – 36x41 mm

163D-9/42


- s 8 – 32 mm
- s 5.5 – 32 mm

163D-1/148N

- 6.3 1/4 6.3 1/4 12.5 1/2 12.5 1/2 6.3 1/4 6.3 1/4


163D-2/103

- 10 3/8 10 3/8 10 3/8 10 3/8



179NXXL-8D/619
 EAN-No. 4000896245185

*** 64,734.-**



163D-7/24N




163D-6/53N




163D-3/94

- 6.3 1/4 12.5 1/2 12.5 1/2 6.3 1/4 6.3 1/4



163D-4/44

- 12.5 1/2 12.5 1/2 12.5 1/2 12.5 1/2



Including
HiPer
 90 teeth · 4° ·
 1000 Nm (1/2")

Assortment




163D-11/11



163D-8/13



163D-5/24




163D-12/30



TOOL TROLLEYS AND WORK BENCHES

- ▶ 179N series – Suitable for every application: with a narrow width of 785 mm up to XXL format with a width of 1,133 mm and a depth of up to 642 mm
- ▶ Extremely robust design thanks to double-walled construction
- ▶ Secure locking and heavy-duty drawer concept
- ▶ Sealed working surfaces protect the trolley interior
- ▶ Heavy-duty wheels with non-marking castors
- ▶ Developed and produced by HAZET "Made in Germany"




Assistant®

Made in Germany



Service trolley 167




Made in Germany

| HAZET No. | Side walls | EAN-No. 4000896+ | Ⓜ* |
|-----------|------------|------------------|---------|
| 167-3 | – | 205332 | 1,639.– |
| 167-3S | ✓ | 207206 | 1,831.– |

176N

- Plastic cover with textures
- W x H x D: 780 x 1018 x 498 mm




Made in Germany

| HAZET No. | Number of drawers | EAN-No. 4000896+ | Ⓜ* |
|-----------|-------------------|------------------|---------|
| 176N-7 | 7 | 264681 | 5,841.– |

179N

- Plastic work surface
- W x H x D: 785 x 1020 x 518 mm




Made in Germany

| HAZET No. | Number of drawers | EAN-No. 4000896+ | Ⓜ* |
|-----------|-------------------|------------------|---------|
| 179N-6 | 6 | 214570 | 7,472.– |
| 179N-7 | 7 | 214488 | 7,723.– |
| 179N-8 | 8 | 214587 | 8,351.– |
| 179N-9 | 9 | 220236 | 8,593.– |

179NX

- Stainless steel work surface
- W x H x D: 785 x 1020 x 518 mm




Made in Germany

| HAZET No. | Number of drawers | EAN-No. 4000896+ | Ⓜ* |
|-----------|-------------------|------------------|---------|
| 179NX-6 | 6 | 215560 | 7,898.– |
| 179NX-7 | 7 | 215577 | 8,064.– |
| 179NX-8 | 8 | 215584 | 8,787.– |

179NXL

- Stainless steel work surface
- W x H x D: 959 x 1020 x 518 mm




Made in Germany

| HAZET No. | Number of drawers | EAN-No. 4000896+ | Ⓜ* |
|-----------|-------------------|------------------|----------|
| 179NXL-6 | 6 | 215171 | 10,610.– |
| 179NXL-7 | 7 | 215164 | 11,126.– |
| 179NXL-8 | 8 | 215218 | 11,610.– |

179NXXL

- Stainless steel work surface
- W x H x D: 1133 x 1020 x 518 mm




Made in Germany

| HAZET No. | Number of drawers | EAN-No. 4000896+ | Ⓜ* |
|-----------|-------------------|------------------|----------|
| 179NXXL-7 | 7 | 214624 | 12,060.– |
| 179NXXL-8 | 8 | 214778 | 12,610.– |

179NXXL-8D/3

- Extra deep tool trolley
- Stainless steel work surface
- W x H x D: 1167 x 1020 x 642 mm



Made in Germany



| HAZET No. | Number of drawers | EAN-No. 4000896+ | Ⓜ* |
|--------------|-------------------|------------------|----------|
| 179NXXL-8D | 8 | 242931 | 15,347.– |
| 179NXXL-8D/3 | 8 | 245178 | 18,143.– |



179NXXL-8D/3

179NW

- Mobile work bench
- W x H x D: 1150 x 964 x 600 mm



Made in Germany

| HAZET No. | Number of drawers | EAN-No. 4000896+ | Ⓜ* |
|-----------|-------------------|------------------|----------|
| 179NW-7 | 7 | 219629 | 11,919.– |
| 179NW-8 | 8 | 222933 | 12,491.– |



179NWL

Drawer concept:

- 6 flat drawers, height: 81 mm, loading capacity: 50 kg
- 1 high drawer, height: 166 mm, loading capacity: 50 kg
- 100% sliding-out with ball-bearing telescopic rails – self-closing

Body:

- Wood multiplex birch work surface, 30 mm, oiled, replaceable
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept

High performance chassis:

- 2 swivel castors with dual brake

Locking concept:

- Lateral lock position protects the key and lock from damage
- Highly secure closing system with central locking technology for optimum protection of property
- 2-stage locking:
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk


Loading capacity:

- Total loading capacity (static): 1000 kg / (dynamic): 750 kg

Large drawer width 5/3+

5/3+

NEW!




Lateral cylinder lock with 2 folding keys

Made in Germany

| HAZET No. | Number of drawers | EAN-No. 4000896+ | Price* |
|-----------|-------------------|------------------|----------|
| 179NWL-7 | 7 | 280544 | 13,050.– |
| 179NWL-8 | 8 | 280568 | 13,410.– |

Assistent® Tool trolley / Work bench accessories


Protective mats



- Robust PVC protective mat for stainless steel work surface
- Black matt, high-quality surface
- Oil and solvent resistant
- Thickness: 2 mm

NEW!

| HAZET No. | Protective mat for tool trolley Assistent | Dimensions (mm) | EAN-No. 4000896+ | Price* |
|-------------|---|-----------------|------------------|--------|
| 179NX-39 | 179NX | 439 x 554 x 2 | 279647 | 131.– |
| 179NXL-39 | 179NXL | 439 x 730 x 2 | 279623 | 149.– |
| 179NXXL-39 | 179NXXL | 439 x 904 x 2 | 279661 | 171.– |
| 179NXXLD-39 | 179NXXL-D | 564 x 904 x 2 | 279685 | 194.– |



| HAZET No. | Designation | EAN-No. 4000896+ | Price* |
|--------------|--|------------------|---------|
| 161N-3D | Cable drum (without holder) | 237517 | 490.– |
| 161N-3D/2 | Cable drum incl. holder | 237654 | 797.– |
| 161N-5D | Socket strip for 179NXXL-8D | 245161 | 944.– |
| 161T-176N/4 | Separation sheet set for flat drawer | 265619 | 83.80 |
| 161T-176N/4H | Separation sheet set for high drawer | 265596 | 128.– |
| 176N-26 | Perforated tool panel for 176N-7 | 265633 | 887.– |
| 176N-261 | Mounting rail | 265657 | 296.– |
| 179-35 | Can holder, for 3 cans | 141074 | 252.– |
| 179N-21 | Lateral door for 179N · 179NX · 179NXL · 179NXXL | 215553 | 1,513.– |
| 179N-21D | Lateral door for 179NXXL-8D | 245154 | 1,982.– |
| 179N-26 | Perforated tool panel for 179N · 179NX | 215522 | 1,312.– |
| 179N-33 | Paper bin incl. holder | 236206 | 519.– |
| 179N-35 | Can holder, for at least 4 cans | 224258 | 258.– |
| 179N-40 | Basic fixture for 179N · 179NX · 179NXL · 179NXXL · 179NXXL-8D | 215591 | 723.– |

| HAZET No. | Designation | EAN-No. 4000896+ | Price* |
|------------|--|------------------|---------|
| 179N-42 | Laptop holder for 179N · 179NX · 179NXL · 179NXXL | 215621 | 1,007.– |
| 179N-45 | Tablet holder | 224210 | 848.– |
| 179N-46 | Impact wrench holder | 224265 | 526.– |
| 179N-50 | Bracket for an L-Boxx | 243068 | 861.– |
| 179N-51 | Bracket set for two L-Boxxes | 243051 | 1,766.– |
| 179N-510 | Bracing surface for L-Boxx bracket 179N-51 | 243075 | 583.– |
| 179N-75 | Vice fastening for 179N · 179NX · 179NXL · 179NXXL | 241835 | 703.– |
| 179ND-75 | Vice fastening for 179NXXL-8D · 179NXXL-8D/3 | 252343 | 474.– |
| 179NW-11 | Machinist's vice fastening set | 221967 | 52.90 |
| 179NXL-26 | Perforated tool panel for 179 NXL | 215539 | 1,341.– |
| 179NXXL-26 | Perforated tool panel for 179NXXL | 215546 | 1,431.– |
| 180-24 | Document holder | 110827 | 144.– |
| 180-34 | Holder for paper reel | 120840 | 351.– |
| 2175N | Machinist's vice | 013685 | 1,341.– |

Universal tool bag, large

NEW!

with 73 expert tools

73

OR

with 89 expert tools

89



191T-6/73
EAN-No. 4000896275373



€* 2,321.-

| HAZET No. | Designation | EAN-No. 4000896+ | €* |
|-----------|-----------------------|------------------|-------|
| 191T-6L | Large tool bag, empty | 272693 | 426.- |

191T-6/89
EAN-No. 4000896279791

€* 3,612.-

Universal tool bag, small, with 51 expert tools

51

Tool bag, small, with 51 expert tools

51



191T-5/51
EAN-No. 4000896275359



€* 1,327.-

| HAZET No. | Designation | EAN-No. 4000896+ | €* |
|-----------|-----------------------|------------------|-------|
| 191T-5L | Small tool bag, empty | 272679 | 232.- |

191T-1/51
EAN-No. 4000896260003

€* 2,049.-

| HAZET No. | Designation | EAN-No. 4000896+ | €* |
|-----------|-----------------------|------------------|-------|
| 191T-1L | Small tool bag, empty | 258482 | 894.- |

Tool set, with 83 expert tools



In L-Boxx



190L-136/83
EAN-No. 4000896243303

€* 2,373.-



3/8" High-voltage tool set, with protective insulation, with 27 expert tools

- Produced according to current DIN specifications – optimum protection and highest level of safety thanks to constant quality control
- Recess for retrofitting with 3/8" torque wrench, with protective insulation 5109KV

In L-Boxx



150/27
EAN-No. 4000896245550

€* 5,153.-



3/8" High-voltage tool set, with protective insulation, with 52 expert tools

- Joint development with a leading car manufacturer and in accordance with the German TÜV SÜD
- Surface: with protective insulation

In professional case

8816HPKV

150/52
EAN-No. 4000896247578

€* 9,076.-





Non-slip and waterproof base tray:
For a stable stand when open and closed.
Height 60 mm



Ergonomic back padding:
For high wearing comfort



Removable tool board:
For a perfect tool overview



Organised system:
Individual compartments for each tool allow quick access and easy insertion

The HAZET tool rucksack is more than just a means of transport – it is a well thought-out system for professionals who value organisation, safety and comfort!

HAZET tool rucksack: The smart solution for professionals

- **More freedom, less weight:** the modern alternative to heavy tool cases. It combines maximum mobility with perfect organisation and reliably protects your equipment – no matter where the job takes you.
- **Your workshop to go:** With 38 compartments and 44 fastening options, every tool is immediately to hand.
- **Flexible and well thought-out:** Removable tool board, elastic Molle straps and separate compartments for notebook or tablet make the rucksack versatile.
- **Robust and safe:** Waterproof base tray, hard-shell compartment for sensitive parts and hard-wearing material protect against dust, moisture and damage.
- **Ergonomic comfort:** Padded back section and optimum weight distribution ensure comfortable carrying – even when fully loaded.
- **Practical extras:** Magnetic fastener for quick opening, side pocket for water bottle and case strap for transport on trolleys.

Technical data:

- **Material:**
 - Fibre thickness: 600D
 - Fibre density: 78T polyester
 - Polyurethane (PU) impregnation layer
 - Lightweight, robust and water-repellent
- **Volume:** 21.5 litres
- **Dimensions:** H x W x D: 510 x 390 x 290 mm
- **Payload weight:** 15 kg



Tool rucksack with 56 expert tools



56

NEW!

191R-1/56
EAN-No. 4000896279586

2,829.-

| HAZET No. | Contents | |
|-----------|------------------------------------|----|
| 191R-1 | Tool rucksack | 1 |
| 9230B-2 | Cordless screwdriver | 1 |
| 2300SH-1 | SmartHolder tool holder, 39 pieces | 39 |
| 839P | Phase tester | 1 |
| 811/6 | Screwdriver set | 6 |
| 2140N-30 | Machinist's hammer, length: 300 mm | 1 |
| 1850M-22 | Combination pliers | 1 |
| 1802M-22 | Diagonal cutter | 1 |

| HAZET No. | Contents | |
|-----------|----------------------------------|---|
| 1979-74 | Flash light | 1 |
| 1987N-4 | Gloves | 1 |
| 2154-200 | Folding rule | 1 |
| 2154-40 | Spirit level, length: 400 mm | 1 |
| 1981 | Metal saw frame | 1 |
| 2105LG/9H | Offset screwdriver set, 9 pieces | 9 |
| 760-18 | Universal pliers | 1 |



Magnetic fastener:
The smart solution for effortless opening and closing



Separate inner compartment:
For notebook or tablet



Ready to hand:
Practical compartment for a water bottle



Optimum protection:
Hard-shell compartment for mobile phone or keys



NEW!

Tool rucksack, empty

191R-1
EAN-No. 4000896276820

€* 959.-

Tool rucksack with 89 expert tools



89 NEW!

191R-1/89
EAN-No. 4000896279609

€* 4,613.-

| HAZET No. | Contents | + |
|-----------|--|----|
| 191R-1 | Tool rucksack | 1 |
| 9530-1/4 | Cordless drill set, 4 pieces - 1 quick charger - 2x rechargeable batteries 18-volt, 2.5 Ah | 4 |
| 2200SC-32 | SmartCase socket set, 59 pieces | 59 |
| 839P | Phase tester | 1 |
| 811/6 | Screwdriver set , 6 pieces | 6 |
| 2140N-30 | Machinist's hammer, length: 300 mm | 1 |
| 1850M-22 | Combination pliers | 1 |

| HAZET No. | Contents | + |
|-----------|------------------------------|---|
| 1802M-22 | Diagonal cutter | 1 |
| 1979-74 | Flash light | 1 |
| 1987N-4 | Gloves | 1 |
| 2154-200 | Folding rule | 1 |
| 2154-40 | Spirit level, length: 400 mm | 1 |
| 1981 | Metal saw frame | 1 |
| 760-18 | Universal pliers | 1 |

*Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.


1/4" · 1/2" SmartRail



SmartRail, empty

Made in Germany

| No. | HAZET No. | ■ | Number of slots | EAN-No. 4000896+ | Ⓜ* |
|-----|-----------|------|-----------------|------------------|-------|
| ① | 850SR-7 | 1/4" | 7 | 249626 | 204.- |
| ② | 900SR-5 | 1/2" | 5 | 244508 | 229.- |
| ③ | 900SR-8 | 1/2" | 8 | 244515 | 282.- |



1/4" Hexagon, long 50 mm

- s 5.5 · 6 · 7 · 8 · 10 · 12 · 13 mm

Made in Germany
850LG-SR/7
EAN-No. 4000896250691

Ⓜ* 440.-



1/2" Impact socket set

- Plastic sleeve to protect the rim
- s 17 mm (3x) · 19 mm (2x)

Made in Germany
903SLG-SR/5
EAN-No. 4000896245253

Ⓜ* 625.-




1/2" Serration, short

- s M5 · M6 · M8 · M10 · M12 · M14 · M16 · M18

Made in Germany
990-SR/8
EAN-No. 4000896245352

Ⓜ* 910.-



1/4" SmartHolder




1/4" SmartHolder with 39 screwdriver bits, long 50 mm and short 25 mm

- 18 screwdriver bits short, 25 mm:
 - s 0.6 x 4.5 mm
 - PH1 · PH2 · PH3
 - PZ1 · PZ2 · PZ3
 - s 3 · 4 · 5 · 6 · 8 mm
 - T10 · T15 · T20 · T25 · T30 · T40
- 11 screwdriver bits long, 50 mm:
 - s 0.8 x 5.5 mm
 - PH2
 - PZ1 · PZ2
 - s 3 · 4 · 5 · 6 mm
 - T20 · T25 · T30

- 6 sockets, hexagon:
 - s 5.5 · 7 · 8 · 10 · 12 · 13 mm
- Mini solid steel fine-tooth reversible ratchet
- Bit holder with magnet
- Adapter 6.3 = 1/4" → 6.3 = 1/4"
- Adapter 6.3 → 6.3



reddot winner 2023



2300SH-1
EAN-No. 4000896246588

Ⓜ* 530.-

1/4" SmartHolder with 16 screwdriver bits, short 25 mm



- s 0.5 x 4 · 1.2 x 6.5 mm
- PH1 · PH 2 · PH3
- s 3 · 4 · 5 · 6 mm
- T10 · T15 · T20 · T25 · T27 · T30 · T40

2304SH-1
EAN-No. 4000896250677

Ⓜ* 88.70



- s 0.4 x 1.5 · 0.5 x 4 · 1.2 x 6.5 mm
- PZ1 · PZ 2 · PZ3
- s 3 · 4 · 5 · 6 mm
- T10 · T15 · T20 · T25 · T30 · T40

2304SH-2
EAN-No. 4000896250653

Ⓜ* 88.70



- T6 · T7 · T8 · T9 · T10 · T15 · T20 · T25 · T27 · T30 · T40
- T10H · T15H · T20H · T25H · T30H

2304SH-3
EAN-No. 4000896250639

Ⓜ* 88.70



1/4" SmartHolder with 8 screwdriver bits, long 50 mm



- PH1 · PH 2
- s 3 · 4 · 5 mm
- T15 · T20 · T25

2304SH-11
EAN-No. 4000896250615

Ⓜ* 68.-



- 0.8 x 5.5 mm
- PZ1 · PZ2
- s 4 · 5 · 6 mm
- T20 · T25

2304SH-12
EAN-No. 4000896250592

Ⓜ* 68.-



- T10 · T15 · T25 · T27 · T30 · T40
- T20 (2x)

2304SH-13
EAN-No. 4000896250578

Ⓜ* 68.-



1/4" Ratcheting bit screwdriver with built-in magazine



Incl. extension (80 mm) 810 R-2



FACELIFT!



EJECT!



Quick bit change with just one hand

Ratchet with free-running function

Set includes 12 screwdriver bits

| | | | |
|--|--|--|--------------------------|
| | | | 0.5 x 4.0 · 1.2 x 6.5 mm |
| | | | PH1 · PH2 |
| | | | PZ1 · PZ2 |
| | | | 5 · 3 · 4 · 5 · 6 mm |
| | | | T15 · T20 · T25 |

811R-3

EAN-No. 4000896270569

€ 311.-

Set includes 12 screwdriver bits

| | | | |
|--|--|--|-----------------------------|
| | | | 0.8 x 5.5 mm |
| | | | PH2 · PH3 |
| | | | 5 · 3 · 4 · 5 · 6 mm |
| | | | T15 · T20 · T25 · T27 · T30 |

811R-4

EAN-No. 4000896270583

€ 311.-

1/4" Cordless screwdriver

- Torque range max: 5 Nm
- 3 torque levels via selector switch
- LED light with persistence afterglow
- Magnetic holder fixes the tool in place
- USB-C charging port with rubber cover (incl. USB-A / USB-C charging cable)
- L x W x H: 180 x 35 x 35 mm

NEW!



Slim, handy – fits into work clothes (folding rule pocket)

9230B-2

EAN-No. 4000896269266

€ 257.-

Multitool 13-in-1

- Universal tool with 13 practical functions
- Material made of high-quality stainless steel
- Ergonomically shaped handle with rounded finger rest
- With a practical belt clip
- Including sturdy belt bag



13 practical functions:

- Snipe nose pliers, combination pliers
- Diagonal cutter, knife
- Scissors, multi-purpose cutter
- Bottle opener with flat screwdriver, 5 x 0.1 mm
- Can opener with flat screwdriver, 3 x 0.1 mm
- Phillips-Recess screwdriver, PH2
- Mandrel, file, saw
- Hex wrenches 5, 7, 8, 10, 14 mm



2159-1

EAN-No. 4000896269549

€ 255.-

1/4" Screwdriver bit set



EJECT!



Quick bit change with just one hand

| | | |
|--|--|--|
| | | Bit adapter |
| | | 5 · 0.6 x 4.5 · 0.8 x 5.5 · 1 x 6 mm |
| | | PH 1 (3x) · PH 2 (3x) · PH 3 |
| | | PZ 1 (3x) · PZ 2 (3x) · PZ 3 |
| | | 5 · 3 · 4 · 5 · 6 mm |
| | | T10 · T15 (2x) · T20 (2x) · T25 (2x) · T27 · T30 (2x) · T40 (2x) |
| | | T20H · T30H |

2240N/36

EAN-No. 4000896187614

€ 239.-

1/4" Screwdriver bit set



EJECT!



Quick bit change with just one hand

| | | |
|--|--|---|
| | | Bit adapter |
| | | 5 · 0.5 x 4 · 0.6 x 4.5 · 0.8 x 5.5 · 1 x 6 mm |
| | | PH1 (4x) · PH2 (4x) · PH3 (2x) |
| | | PZ1 (3x) · PZ2 (3x) · PZ3 |
| | | 5 · 2 · 2.5 · 3 · 4 · 5 · 6 mm |
| | | T6 · T7 · T8 · T9 · T10 · T15 (2x) · T20 (2x) · T25 (2x) · T27 (2x) · T30 (2x) · T40 (2x) |
| | | T10H · T15H · T20H · T25H · T27H · T30H |

2240N/51

EAN-No. 4000896187607

€ 273.-

Slot / Phillips set



811/6
EAN-No. 4000896258383

€ 119.-



| | | |
|-----|---|--|
| 4 x | ☉ | 0.5x3.0 · 0.8x4.0 · 1.0x5.5 · 1.2x6.5 mm |
| 2 x | ⊕ | PH 1 · PH 2 |

TORX® set



811T/6
EAN-No. 4000896258406

€ 180.-



| | | |
|-----|---|---|
| 6 x | ⊕ | T 10 · T 15 · T 20 · T 25 · T 27 · T 30 |
|-----|---|---|

Set with impact cap



811S/5
EAN-No. 4000896258420

€ 271.-



| | | |
|-----|---|------------------------------|
| 3 x | ☉ | 0.8x4.5 · 1.0x5.5 · 1.2x7 mm |
| 2 x | ⊕ | PH 1 · PH 2 |

Slot / Phillips set with holder



- Practical holder with keyhole for wall mounting



811SH-1/7
EAN-No. 4000896264605

€ 162.-

| | | |
|-----|---|--|
| 4 x | ☉ | 0.5x3.0 · 0.8x4.0 · 1.0x5.5 · 1.2x6.5 mm |
| 2 x | ⊕ | PH 1 · PH 2 |

Electronic screwdriver set, TORX®



811EL-T/7
EAN-No. 4000896259922

€ 408.-




| | | |
|-----|---|---|
| 7 x | ⊕ | T 5 · T 6 · T 7 · T 8 · T 9 · T 10 · T 15 |
|-----|---|---|

Electronic screwdriver set



811EL/7
EAN-No. 4000896259908

€ 347.-



| | | |
|-----|---|---------------------------------------|
| 4 x | ☉ | 0.23x1.5 · 0.4x2 · 0.4x2.5 · 0.5x3 mm |
| 3 x | ⊕ | PH 00 · PH 1 · PH 2 |

High-voltage screwdriver set for electricians, with protective insulation



- Non-slip HAZET 3-component handle, allows high power transmission, with hanging hole
- Phase tester (839P), 220 – 250 V according to DIN VDE 0680-6

Contents:
– 811KV-PH1, -PH2
– 811KV-25, -35, -40
– 839P



811KV/6
EAN-No. 4000896268146

€ 232.-

Offset screwdriver set




- Extra long design
- Plastic clip
- Surface: nickel-plated

Contents:
– s 1.5 · 2 · 2.5 · 3 · 4 · 5 · 6 · 8 · 10 mm



With ball-head




Made in Germany
2105LG/9H
EAN-No. 4000896012015

€ 158.-

3/4" Reversible ratchet, extendable

- Continuously adjustable from 730 to 1130 mm (without pre-fixed detent points)
- **Torque max: 1800 Nm**
- Long lever arm for powerful work and more torque with less effort
- Safe working without extension tube
- Easy fixation with knurled clamping nut
- Twist protected handle ensures optimum force transmission without slipping
- HAZET 2-component handle for improved grip and secure hold
- Extendable: 400 mm
- Number of teeth: 32
- Operating angle: 11.25°
- For manual operation
- Surface: chrome-plated
- Ratchet standard: DIN 3122 / ISO 3315



3/4"

1800 Nm!

Suitable for large sockets with 3/4" drive and high loads!

Made in Germany

1016LG

EAN-No. 4000896276929

Contents:

- Handle, extendable 1013-1
- Reversible ratchet head 1016

1,746.-



20 3/4"

NEW!



Handle, extendable

- Continuously adjustable from 610 to 1010 mm (without pre-fixed detent points)
- For 3/4" reversible ratchet head 1016

NEW!


Made in Germany

1013-1

EAN-No. 4000896273546

873.-

Continuously extendable: 400 mm



HiPer fine-tooth reversible ratchets

- Developed and produced "Made in Germany"
- High permanent load for durability
- 90 teeth, 4° fine toothed for confined spaces
- Locking function of the lever prevents unwanted switching
- A lot more performance with the same dimensions
- Strict production tolerances prevent dirt from getting in

863HPB



HiPer series




6.3 1/4 6.3 1/4 10 3/8 12.5 1/2



DIN/HiPer performance comparison using the example of 916 HP


Peak load

DIN 3122:2017-04 (static load)



Durability | Permanent load

ISO 3315:2018-05 (dynamic load)



Static AND dynamic – double precision in perfection!

| HAZET No. | Drive | Nm max | Length mm | EAN-No. 4000896 + | Price * |
|-----------------------------|----------|--------|-----------|-------------------|---------|
| Our classics! | | | | | |
| ① 863HPB | 6.3 1/4 | 120 | 116 | 235346 | 317.- |
| ② 863HP | 6.3 1/4 | 120 | 116 | 226917 | 317.- |
| ③ 8816HP | 10 3/8 | 400 | 200 | 235063 | 379.- |
| ④ 916HP | 12.5 1/2 | 1.000 | 275 | 213894 | 381.- |
| ⑤ 916HPL | 12.5 1/2 | 1.000 | 415 | 219209 | 630.- |
| ⑥ 916HPLG | 12.5 1/2 | 1.000 | 414 – 614 | 233076 | 833.- |
| Short design! | | | | | |
| ⑦ 916HPK | 12.5 1/2 | 400 | 200 | 244379 | 420.- |
| With safety locking! | | | | | |
| ⑧ 863HPS | 6.3 1/4 | 100 | 116 | 237234 | 359.- |
| ⑨ 8816HPS | 10 3/8 | 340 | 200 | 237241 | 448.- |
| ⑩ 916HPS | 12.5 1/2 | 850 | 275 | 237258 | 502.- |

Grip pliers wrenches

- Compact and at the same time highly resilient
- In four different lengths: 125 · 150 · 180 · 260 mm
- Convenient – thanks to quick adjustment with proven HAZET tip/step lever function
- One-hand presetting possible
- Permanent laser-marked scaling for easy setting and reading
- High corrosion resistance due to chrome-plated, easy-to-clean pliers legs
- Heavy-duty pliers legs made of case-hardened chrome vanadium steel
- Comfortable grip thanks to double dip coating – lies well in the hand
- Fine detent distance enables any wrench size in the clamping range




Made in Germany

| HAZET No. | Length mm | Detent distance mm | Number of detent positions | Clamping range mm | EAN-No. 4000896 + | €* |
|-----------|-----------|--------------------|----------------------------|-------------------|-------------------|-------|
| 762-12 | 125 | 2 | 12 | 26 | 249800 | 286.- |
| 762-15 | 150 | 2 | 15 | 33 | 249640 | 304.- |
| 762-18 | 180 | 2 | 19 | 42 | 249787 | 321.- |
| 762-26 | 260 | 2.5 | 20 | 56 | 249664 | 376.- |

Protective jaws

- Contents: 3 pairs



Made in Germany

| | | | |
|-----------|---|--------|-------|
| 762-018/6 | Protective jaws for grip pliers wrench 762-18 | 259861 | 52.30 |
| 762-026/6 | Protective jaws for grip pliers wrench 762-26 | 259885 | 56.80 |

Universal pliers

- Compact and at the same time highly resilient
- In four different lengths: 125 · 150 · 180 · 260 mm
- Convenient – thanks to quick adjustment with proven HAZET tip/step lever function
- Long service life due to extremely hard jaw serration
- More force thanks to teeth offset against the direction of rotation
- Precise latching with the aid of laser-cut serration
- Heavy-duty pliers legs made of case-hardened chrome vanadium steel
- Phosphatised surface
- Pleasant to grip thanks to double dip coating – lies well in the hand
- Fine detent distance enables any wrench size in the clamping range




Tube 6-point Square Nail and wire-holder function Flat material

Made in Germany

| HAZET No. | Length mm | Detent distance mm | Number of detent positions | Clamping range mm | EAN-No. 4000896 + | €* |
|-----------|-----------|--------------------|----------------------------|-------------------|-------------------|-------|
| 760-12 | 125 | 2 | 13 | 27 | 249749 | 215.- |
| 760-15 | 150 | 2 | 14 | 34 | 249688 | 220.- |
| 760-18 | 180 | 2 | 17 | 36 | 249763 | 236.- |
| 760-26 | 260 | 2.5 | 17 | 50 | 249701 | 266.- |

Production



Production



Set of grip pliers wrenches

- Contents
 - 762-12
 - 762-18
 - 762-26



Made in Germany

762/3

EAN-No. 4000896269105

€* 1,024.-

Set of grip pliers wrenches and universal pliers

- Contents
 - 760-12
 - 762-12



Made in Germany

760/2

EAN-No. 4000896269068

€* 536.-

Universal pliers set

- Contents
 - 760-12
 - 760-18
 - 760-26



Made in Germany

760/3

EAN-No. 4000896269082

€* 773.-

* Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.

1/4" Solid steel fine-tooth reversible ratchet for screwdriver bits

- 90 mm short design
- 60 teeth, 6° operating angle
- With locking spring to securely hold the screwdriver bits



6.3 1/4

60
x6°

Made in Germany
863MB
EAN-No. 4000896212187

€ 156.-

1/4" · 3/8" · 1/2" · 3/4" Adapter set

- For manual operation

12.5 1/2 20 3/4
10 3/8 6.3 1/4
6.3 1/4



Made in Germany
958/7
EAN-No. 4000896204595

€ 422.-

Ratcheting combination wrench set

- Ratchet function with one-hand reversing switch
- Fine-tooth, 72 teeth, operating angle 5° (s 8 mm: 60 teeth, operating angle 6°) 13°
- Surface: chrome-plated



s 8 · 10 · 13 · 17 · 19 mm

606/5
EAN-No. 4000896177998

€ 625.-

1/4" · 3/8" · 1/2" Adapter set

- For ratcheting combination wrenches
- Contents:**
- 3 ratcheting combination wrench adapters with retaining knob:
10 mm ● to 6.3 1/4 · 13 mm ● to 10 3/8 · 19 mm ● to 12.5 1/2
 - 1 screwdriver bit adapter: 10 mm ● to 6.3 1/4



606/4SPC
EAN-No. 4000896127399

€ 179.-

Combination wrench set

- Up to 70% above DIN
- Slim heads
- Box-end head angled at 15°
- Surface: chrome-plated, head polished



s 8 · 10 · 12 · 13 · 14 · 15 · 16 · 17 · 18 · 19 mm

Made in Germany
600SPC/10
EAN-No. 4000896118465

€ 848.-

Combination wrench set



s 7 · 8 · 9 · 10 · 11 · 12 · 13 · 14 · 15 · 16 · 17 · 18 · 19 · 21 · 22 · 24 mm

Made in Germany
600SPC/16
EAN-No. 4000896186235

€ 1,430.-

Quick-clamping puller set

- 5-piece set in display stand

Contents:
– 1750-9 · 1750-11 · 1750-14 · 1750-19 · 1750-26

1750/5
EAN-No. 4000896251476

€ 4,669.-



Quick-clamping puller

- Solid all-steel bridge
- Forged arms

| HAZET No. | sb mm | st mm | EAN-No. 4000896+ | €* |
|-----------|-------|-------|------------------|---------|
| 1750-9 | 100 | 80 | 249923 | 567.- |
| 1750-11 | 135 | 80 | 249947 | 621.- |
| 1750-14 | 135 | 137 | 249961 | 738.- |
| 1750-19 | 185 | 160 | 249985 | 1,125.- |
| 1750-26 | 260 | 220 | 250028 | 1,458.- |
| 1750-34 | 345 | 260 | 250042 | 2,498.- |
| 1750-44 | 440 | 260 | 250134 | 3,068.- |



Universal ball joint puller

- Removing the ball joint pivot from e.g. steering arms, steering tie rods, stabilizers
- Jaw opening: 23 mm
- Clamping range: 65 mm
- For the most common vehicles
- Large clamping range due to continuous vertical adjustment and turning of the lower part

1779-1
EAN-No. 4000896135974

€ 441.-



Universal ball joint puller

- Removing the ball joint pivot from e.g. steering tie rods, stabilizers
- For **FORD · BMW · Volvo · TOYOTA · OPEL/VAUXHALL · VW · AUDI · RENAULT**
- Jaw opening: 20 mm
- Clamping range: 2-stage
– Level 1: up to 30 mm
– Level 2: up to 50 mm

Made in Germany
1790-7
EAN-No. 4000896148073

€ 801.-



Beam puller

- Tensioning, pulling, pressing of timbers
- Drop forged, tempered hooks
- **Beam puller**
- Smooth operation of trapezoidal thread TR 16 x 5
- Ergonomic design – with reversible ratchet
- Span: 115 mm
- Overall width: 440 mm
- Ratchet length: 275 mm
- 2 puller hooks



Our classic!



Made in Germany
1774-1
EAN-No. 4000896180578


€ **1,125.-**

Beam/plate puller

- The use of wood screws results in only minor processing marks
- Suitable for wood types with increased risk of cracking and splitting
- Tensioning, pulling, pressing of timbers
- Suitable for hard-to-reach areas
- Simple and ergonomic handling thanks to reversible ratchet
- Smooth operation of trapezoidal thread TR 16 x 5
- 6 boreholes each 8.5 mm Ø per aluminium plate
- Span: 115 mm
- Overall width: 581 mm
- Total height: 280 mm
- Aluminium plate size: 150 x 75 mm
- Number of aluminium plates: 2



Avoids the risk of cracks and splits!



Made in Germany
1774-2
EAN-No. 4000896264445

€ **1,526.-**

Torque tools

Torque screwdriver for bits

- "Ratchet function" with free-running mechanism, featuring right · left · fixed switching · enables fast work thanks to smooth re-gripping when operating screw connections, even in confined installation spaces
- Excellent readability of the torque setting thanks to large, clear numerical display
- Short 36° release distance with ergonomic release behaviour and clearly audible signal
- Accuracy ± 6% of scale value (in direction of actuation for right-hand tightening)



red dot winner 2025



EISENaward 2024



6.3 1/4



SYSTEM 6004CT with standard handle



NEW SIZE!

Made in Germany

| HAZET No. | Nm range | Release accuracy tolerance ± % | EAN-No. 4000896 + | € * |
|-----------|----------------------------|--------------------------------|-------------------|-------|
| 6004CT-3 | 2–30 cNm (± 0.02 – 0.3 Nm) | 6 | 260027 | 990.- |
| 6004CT-12 | 0.2 – 1.2 Nm | 6 | 260041 | 990.- |
| 6004CT-60 | 1 – 6 Nm | 6 | 277247 | 990.- |

SYSTEM 6005CT with sliding T-handle for high torques

- Better power transmission thanks to ergonomic T-handle



Made in Germany

| HAZET No. | Nm range | Release accuracy tolerance ± % | EAN-No. 4000896 + | € * |
|------------|-----------|--------------------------------|-------------------|-------|
| 6005CT-60 | 1 – 6 Nm | 6 | 260065 | 990.- |
| 6005CT-100 | 4 – 10 Nm | 6 | 260089 | 990.- |



* Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest. Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.

SYSTEM 5000-3CT

Made in Germany



OUR WORKSHOP CLASSICS!

- ▶ Series with large measuring range: 1 – 800 Nm
- ▶ 17 versions with 1/4" · 3/8" · 1/2" · 3/4" reversible ratchet and reversible ratchet for screwdriver bits or insert square 9x12 · 14x18 mm
- ▶ Accuracy ± 3% of the scale value (5107 ± 4%) in direction of actuation
- ▶ Tested in accordance with DIN EN ISO 6789-2:2017 with calibration certificate and serial number
- ▶ HAZET's own Service Centre for the best aftersales service
- ▶ Developed and produced by HAZET "Made in Germany"



6.3 1/4" 10 3/8" 12.5 1/2" 20 3/4"



With reversible ratchet!

Made in Germany

| HAZET No. | Output | Nm range | Release accuracy tolerance ± % | Length mm | EAN-No. 4000896 + | ⌚* |
|-----------|-----------|-----------|--------------------------------|-----------|-------------------|---------|
| 5107-3CT | 6.3 1/4" | 1 – 9 | 4 | 234 | 218875 | 1,101.– |
| 5108-3CT | 6.3 1/4" | 2.5 – 25 | 3 | 234 | 218882 | 1,081.– |
| 5110-3CT | 10 3/8" | 10 – 60 | 3 | 320 | 218899 | 977.– |
| 5111-3CT | 10 3/8" | 20 – 120 | 3 | 375 | 235384 | 1,071.– |
| 5120-3CT | 12.5 1/2" | 10 – 60 | 3 | 320 | 218905 | 1,025.– |
| 5121-3CT | 12.5 1/2" | 20 – 120 | 3 | 421 | 218912 | 1,092.– |
| 5122-3CT | 12.5 1/2" | 40 – 200 | 3 | 519 | 219001 | 1,099.– |
| 5123-3CT | 12.5 1/2" | 60 – 320 | 3 | 628 | 218998 | 1,210.– |
| 5143-3CT | 12.5 1/2" | 100 – 400 | 3 | 790 | 235407 | 3,272.– |
| 5145-3CT | 20 3/4" | 300 – 800 | 3 | 1271 | 218929 | 4,072.– |



With 1/4" reversible ratchet for screwdriver bits!

Made in Germany

| HAZET No. | Output | Nm range | Release accuracy tolerance ± % | Length mm | EAN-No. 4000896 + | ⌚* |
|-----------|----------|----------|--------------------------------|-----------|-------------------|---------|
| 5107B-3CT | 6.3 1/4" | 1 – 9 | 4 | 234 | 244584 | 1,101.– |
| 5108B-3CT | 6.3 1/4" | 2.5 – 25 | 3 | 234 | 244591 | 1,101.– |



With plug connection!

Made in Germany

| HAZET No. | Output mm | Nm range | Release accuracy tolerance ± % | Length mm | EAN-No. 4000896 + | ⌚* |
|-----------|-----------|----------|--------------------------------|-----------|-------------------|---------|
| 5280-3CT | 9 x 12 | 2.5 – 25 | 3 | 218 | 239290 | 1,067.– |
| 5290-3CT | 9 x 12 | 10 – 60 | 3 | 291 | 228904 | 1,002.– |
| 5291-3CT | 14 x 18 | 20 – 120 | 3 | 385 | 277209 | 999.– |
| 5292-3CT | 14 x 18 | 40 – 200 | 3 | 484 | 228911 | 1,078.– |
| 5293-3CT | 14 x 18 | 60 – 320 | 3 | 594 | 277223 | 1,323.– |

NEW SIZES!

Suitable insert tools



Effective length calculator



Effective length calculation



3/8" Insert tool set

• s 10 · 13 · 14 · 15 · 17 · 19 mm

9 x 12 10 3/8" 7



Made in Germany

6450C/7
EAN-No. 4000896231102

⌚* **1,071.–**

1/2" Insert tool set

• s 16 · 17 · 18 · 19 · 22 · 24 mm

14 x 18 12.5 1/2" 7



Made in Germany

6450D/7
EAN-No. 4000896231119

⌚* **1,323.–**



Our quality makes the difference:

Reliable performance and long service life!

Flexible contacts ① help to prevent battery wear and extend their service life.

Anti-vibration pads ② and a latching bracket on the head side of the battery ③ minimise vibration and thus increase the service life of the batteries and devices. (No "deflection" of the battery > "wobbling effect")



TOTALLY INSPIRING!

HAZET RECHARGEABLE BATTERY SYSTEM – COMPATIBLE WITH ALL DEVICES OF THE NEW SYSTEM 9500

Battery pack Li-ion, 18 V

- Compatible with all devices of the 9500 series

2.5 Ah

- 18 V Li-ion battery pack 2.5 Ah
- Dimensions L x W x H: 120 x 75 x 50 mm
- Weight: 0.42 kg



9500-025
EAN-No. 4000896265138

€ 527.-

5 Ah

- 18 V Li-ion battery pack 5 Ah
- Dimensions: L x W x H: 120 x 75 x 70 mm
- Weight: 0.74 kg



9500-05
EAN-No. 4000896266166

€ 825.-

Quick charger for 18 V rechargeable batteries

- Reaches 80% of the charging capacity after about 30 minutes thanks to a special charging process



9501-1018
EAN-No. 4000896265114

€ 495.-



Battery starter set 3

- For charging the 18 V battery pack

Contents

- 2x Li-ion battery pack 9500-05 (5 Ah, 18 V)
- Quick charger 9501-1018



9500-05/3
EAN-No. 4000896265251

€ 1,733.-



Holder for RECHARGEABLE BATTERY SYSTEM 9500

- For HAZET tool trolleys "Assistent" 167-3S · 176N · 178N · 179N · 179NX · 179NXL · 179NXXL · 179NXXL-8D and work bench "Assistent" 177W, 179NW and 179NWL
- Individual attachment to HAZET perforated tool boards with square perforation

Holder for cordless tools

- Holds up to three cordless tools
- L x W x H: 334 x 220 x 152 mm



Made in Germany
179N-55
EAN-No. 4000896269839

€ 387.-

Holder for 2 battery packs

- For 2 battery packs 9500-025, 9500-05
- L x W x H: 180 x 15 x 100 mm



Made in Germany
179N-56
EAN-No. 4000896269815

€ 135.-

Holder for HAZET battery charger

- For battery charger 9501-1018
- Cable protection
- L x W x H: 209 x 86 x 174 mm



Made in Germany
179N-57
EAN-No. 4000896269792


€ 126.-

1/2" Cordless impact wrench set, 18 V

12S 1/2 4

Contents

- Cordless impact wrench 9512-600
- 2x Li-ion battery pack 9500-05 (5 Ah, 18 V)
- Quick charger 9500-18



600 Nm



9512-600/4
EAN-No. 4000896265176

€ 2,790.-


- Cordless impact wrench 9512-600**
- Max. loosening torque: 600 Nm
 - Revolutions per minute: 2700
 - Weight (without battery): 1.17 kg

1/2" Cordless impact wrench set, 18 V

12S 1/2 4

Contents:

- Cordless impact wrench 9512-950
- 2x Li-ion battery pack 9500-05 (5 Ah, 18 V)
- Quick charger 9500-18



950 Nm



9512-950/4
EAN-No. 4000896272716

€ 2,790.-

- Cordless impact wrench 9512-950**
- Max. loosening torque: 950 Nm
 - Revolutions per minute: 2450
 - Weight (without battery): 1.9 kg

3/4" Cordless impact wrench set, cordless work light, 18 V


NEW!

Contents:

- Cordless impact wrench 9513-2100
- 2x Li-ion battery pack 9500-05 (5 Ah, 18 V)
- Quick charger 9501-1018
- Cordless work light 9579-10



20 3/4 5



2100 Nm



9500P-3/3
EAN-No. 4000896279883

€ 4,410.-

Free!

- Cordless work light 9579-10**
- LED light head can be swivelled 180° and 270°
 - High-performance LED cordless light with 8 light emitting diodes
 - 3 brightness levels: 200 · 500 · 1000 lm


- Cordless impact wrench 9513-2100**
- Max. loosening torque: 2100 Nm
 - Revolutions per minute: 1900
 - Weight (without battery): 3.1 kg

Cordless drill set, 18 V

4

Contents

- Cordless drill 9530-10
- 2x Li-ion battery pack 9500-025 (2.5 Ah, 18 V)
- Quick charger 9500-18



9530-1/4

EAN-No. 4000896265213

2,5 Ah

1,395.-

Cordless drill 9530-10

- Number of torque levels: 18 + 1
- Drill diameter: 1.5 – 13 mm
- Weight (without battery): 1.14 kg

Cordless drill, 1/2" cordless impact wrench, cordless right-angle grinder set, 18 V

12⁵ 1/2 6

Contents


- Cordless drill 9530-10
- Cordless impact wrench 9512-950
- Cordless right-angle grinder 9533-10
- 2x Li-ion battery pack 9500-05 (5 Ah, 18 V)
- Quick charger 9501-1018



1/2"



5 Ah



9500P-1/6

EAN-No. 4000896265190


4,860.-

Hybrid cordless radio, cordless dry vacuum cleaner, cordless work light, 18 V

3

Contents


- Professional hybrid cordless DAB radio 9580-10
- Cordless dry vacuum cleaner 9543-10
- Cordless work light 9579-10



9500P-2/3

EAN-No. 4000896265152

2,975.-




Auto stop function stops the machine as soon as the striking mechanism starts or stops working when it is released: avoids overtightening or loss of screws and nuts during operation!

1/2" Cordless impact wrench, compact, 18 V Max. loosening torque: 600 Nm

- Short head length ensure ideal working in tight installation spaces
- Prevents overtightening of small screws, for example, thanks to the option of setting in three different speed ranges ("Speed Command")
- Forward / reverse with switch-on lock
- Max. tightening torque: 406 Nm
- Max. loosening torque: 600 Nm
- Idle speed: Level 1: 0 - 1000 rpm, level 2: 0 - 1800 rpm, level 3: 0 - 2700 rpm.
- Idle stroke rate: 0-3750 rpm.
- Electronic emergency brake
- LED battery capacity indicator on the battery pack
- Compatible with all 18 V battery packs in the 9500 series
- Weight (without battery): 1.2 kg

| | |
|---|---|
| ① | Selection button for levels 1 - 3 |
| ② | Status lights: Levels 1 - 3 |
| ③ | Indicator lights: Auto stop function |
| ④ | Indicator light: Wood function |
| ⑤ | Selection button for auto stop or wood function |

Wood function: Significantly increases performance when driving screws into wood.



12⁵ 1/2"

18V

600 Nm

Without rechargeable battery and charger
9512-600
EAN-No. 4000896265053

€ 1,697.-

1/2" Cordless impact wrench, 18 V Max. loosening torque: 950 Nm

- Powerful impact mechanism for maximum performance enables the operation of stuck, e.g. rusted screw connections, even in extreme applications
- LED light with persistence afterglow
- Prevents overtightening of small screws, for example, thanks to the option of setting in three different speed ranges ("Speed Command")
- Forward / reverse with switch-on lock
- Tightening torque: level 1 (maximum): 150 Nm, level 2 (maximum): 200 Nm, level 3: maximum: 750 Nm
- Loosening torque maximum: 950 Nm
- Idle speed: Level 1: 0 - 1000 rpm, level 2: 0 - 2000 rpm, level 3: 0 - 2450 rpm.
- Electronic emergency brake
- LED battery capacity indicator on the battery pack
- Compatible with all 18 V battery packs in the 9500 series
- Weight (without battery): 1.9 kg

| | |
|---|---|
| ① | Selection button for levels 1 - 3 |
| ② | Status lights: levels 1 - 3 |
| ③ | Indicator light: Auto stop function |
| ④ | Selection button for auto stop function |



Patented vibration damping protects the wrist and the battery locking element



12⁵ 1/2"

18V

950 Nm

Without rechargeable battery and charger
9512-950
EAN-No. 4000896265039

€ 1,697.-

3/4" Cordless impact wrench, 18 V Max. loosening torque: 2100 Nm

- Prevents overtightening of small screws, for example, thanks to the option of setting in three different speed ranges ("Speed Command")
- Forward / reverse with switch-on lock
- Infinite speed regulation
- 3 tightening torque levels
- Idle speed - level 1: maximum: 500 rpm, level 2 (maximum): 1000 rpm, level 3 (maximum): 1900 rpm.
- Max. loosening torque: 2100 Nm
- Idle stroke rate: 0-2350 rpm.
- Electronic emergency brake
- LED battery capacity indicator on the battery pack
- Compatible with all 18 V battery packs in the 9500 series
- Weight (without battery): 3.1 kg

| | |
|---|---|
| ① | Selection button for levels 1 - 3 |
| ② | Status lights: levels 1 - 3 |
| ③ | Indicator light: Auto stop function |
| ④ | Selection button for auto stop function |



Patented vibration damping protects the wrist and the battery locking element



20 3/4"

18V

2100 Nm

Without rechargeable battery and charger
9513-2100
EAN-No. 4000896265015

€ 2,700.-

Cordless drill, 18 V

- Quick-action drill chuck, metal version with auto-lock function
- Electronic emergency brake
- Forward/reverse with switch-on lock
- LED light with persistence afterglow
- Number of torque levels: 18 + 1
- Tightening torque (hard) maximum: 65 Nm
- Drill diameter: 1.5 – 13 mm
- Idle speed: Level 1: 0 - 500 rpm, level 2: 0 - 1800 rpm.
- LED battery capacity indicator on the battery pack
- Compatible with all 18 V battery packs in the 9500 series



Without rechargeable battery and charger

9530-10

EAN-No. 4000896266142

€ 1,103.-



Cordless impact drill, 18 V

- Quick-action drill chuck, metal version with auto-lock function
- Electronic emergency brake
- LED light with persistence afterglow
- Forward/reverse with switch-on lock
- Number of torque levels: 23 levels
- Tightening torque (hard) maximum: 158 Nm
- Maximum drill diameter: Wood: 89 mm, Steel: 13 mm
- Idle speed: Level 1: 0 - 700 rpm, level 2: 0 - 2500 rpm.
- LED battery capacity indicator on the battery pack
- Compatible with all 18 V battery packs in the 9500 series
- Anti-kickback switches off the motor when screw connections and drill holes are blocked, preventing the wrist from twisting
- Turbo mode for faster and more powerful work. Switching on the turbo boost achieves up to 27 % higher speed



Without rechargeable battery and charger

9530-11

EAN-No. 4000896272730

€ 1,890.-



With impact function!

Cordless right-angle grinder, Ø 125 mm, 18 V

- Soft start thanks to microprocessor electronics
- Restart interlock after power failure
- Temperature control
- Anti-kickback – device stops if the speed drops sharply due to canting
- Angled side handle offers ergonomic arm working position
- Spindle lock
- Spindle thread: M14
- Disc diameter: 125 mm
- Revolutions per minute: 10,000
- LED battery capacity indicator on the battery pack
- Compatible with all 18 V battery packs in the 9500 series



Incl. protective cover for separating cuts

Without rechargeable battery and charger

9533-10

EAN-No. 4000896265091

€ 1,103.-

Accessories

| HAZET No. | Spare parts | 🔌 | EAN-No. 4000896+ | €* |
|-------------|---|----|------------------|-------|
| 9233-010/5 | Cut-off wheel set (125x1x22.23 mm) | 5 | 219063 | 51.80 |
| 9233-010/25 | Cut-off wheel set (125x1x22.23 mm) | 25 | 219070 | 222.- |
| 9233-011/10 | Rough grinding wheel set (125x6x22.23 mm) | 10 | 219087 | 157.- |



Cordless reciprocating saw, long stroke, 18 V

- Compact, powerful device with large stroke (25 mm)
- Tool-free quick-change saw blade system with ejection function ensures contact-free saw blade changes
- Saw blade: 180° reversible
- Idle stroke rate: 0 – 3000 rpm.
- Maximum material thickness:
 - Wood: 210 mm
 - Aluminium: 30 mm
 - Metal tube: 110 mm
- LED battery capacity indicator on the battery pack
- Compatible with all 18 V battery packs in the 9500 series
- Weight (without battery): 1.9 kg



Without rechargeable battery and charger

9534-10

EAN-No. 4000896265077

€ 1,310.-

Accessories

| HAZET No. | 5 flexible reciprocating saw blades each | Length of serration mm | EAN-No. 4000896+ | €* |
|-------------|---|------------------------|------------------|-------|
| 9234M-150/5 | For steel and non-ferrous metal from 2 – 8 mm | 130 | 239382 | 102.- |
| 9234P-150/5 | For wood with nails and faster sawing progress in metal 2 – 10 mm | 130 | 239405 | 123.- |
| 9234P-225/5 | For wood with nails and faster sawing progress in metal 2 – 10 mm | 205 | 239412 | 165.- |
| 9234X-150/5 | For steel and stainless steel (Inox) from 1.5 – 4 mm | 130 | 239597 | 105.- |
| 9234W-225/5 | For all wood types, plastics as well as plasterboard 6 – 100 mm | 205 | 239429 | 123.- |
| 9034P-R/5 | Reciprocating sabre saw blades | 132 | 218318 | 181.- |



* Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.

Hybrid fan, 18 V and 230 V

- Infinite air volume regulation
- Soft start
- Operation with 18 V battery or via 230 V power supply unit
- Running time at maximum speed: approx. 2.2 hours with battery pack 2.5 Ah and approx. 4.5 hours with battery pack 5 Ah
- Compatible with all 18 V battery packs in the 9500 series




Hybrid function
18 V or 230 V

Incl. 230 volt mains adapter (ready for immediate use) Without battery and charger

9544-10

EAN-No. 4000896264995

€ 756.-



Professional hybrid cordless DAB radio with Bluetooth, 18 V and 230 V

- Robust radio for DAB+ and FM reception
- Speaker output 2 x 10 W and bass boost for top sound quality
- Illuminated LCD display · Coloured LED light strip · Digital clock · Retractable, flexible antenna
- Bluetooth® · Aux input · USB port · Charging option for smartphones, tablets
- Mute function
- Protection rating: IP64
- Compatible with all 18 V battery packs in the 9500 series




Incl. 230 volt mains adapter (ready for immediate use) Without battery and charger

9580-10

EAN-No. 4000896264971

€ 1,172.-



Cordless heat gun, 18 V

- Hot air blower with 2 temperature settings 260°/530° C and 2 air flow settings
- Heating (air flow) up to 300° C in ~ 15 seconds
- LED light for lighting up the work area perfectly
- Lockable on / off switch
- Compact, ergonomic design
- Maximum air flow rate: 200 l/m
- Temperature levels: 2
- Air flow: 130 · 200 l/min
- Compatible with all 18 V battery packs in the 9500 series




Including flat, reflector and reducing nozzle for numerous applications

Without rechargeable battery and charger

9590-10

EAN-No. 4000896265299

€ 902.-



Cordless work light, 1000 lm, 18 V

- LED light head can be swivelled 180° and 270°
- High-performance LED cordless light with 8 light emitting diodes
- 3 brightness levels: 200 · 500 · 1000 lm
- Colour temperature 4000 CCT
- LED battery capacity indicator on the battery pack
- Compatible with all 18 V battery packs in the 9500 series



Extremely bright and lightweight!

Without rechargeable battery and charger

9579-10

EAN-No. 4000896265275

€ 617.-



Cordless dry vacuum cleaner, 18 V

- High-performance turbine ensures high suction power and high underpressure: This produces an excellent suction result
- By activating the manual filter cleaning function, the filter element is freed from deposited dust by a targeted blast of air
- Optimised cleaning and increased filling level of the container thanks to flat pleat filter
- Compact hose Ø 32 mm, extendable from 0.5 m to 2.5 m
- Dust class: L
- Eco mode, extends the battery life to up to 30 minutes at a maximum negative pressure of 12,000 Pa
- Operating time with battery pack 5 Ah 15 mins with max. output
- Number of suction motors: 1
- Compatible with all 18 V battery packs in the 9500 series

With carrying strap for mobile use!




Without rechargeable battery and charger

9543-10

EAN-No. 4000896264957

€ 1,310.-



For cordless dry vacuum cleaners and corded dry vacuum cleaners

Accessories

| HAZET No. | Designation | ■ | EAN-No. 4000896+ | € * |
|-------------|---|---|------------------|-------|
| ① 9543-04/7 | Cleaning kit, for hard and soft floor coverings | 7 | 270989 | 222.- |
| ② 9543-01/5 | Fleece filter bag set | 5 | 270965 | 173.- |
| ③ 9543-02 | Flat pleated filter | - | 270941 | 159.- |
| ④ 9543-03 | Chassis | - | 270927 | 389.- |



Dry vacuum cleaner with chassis

- High-performance turbine ensures high suction power and high underpressure: This produces excellent suction results
- By activating the manual filter cleaning function, the filter element is freed from deposited dust by a targeted blast of air
- Optimised cleaning and increased filling level of the container thanks to flat pleat filter
- Accessories storage thanks to integrated holders on the suction head
- Compact hose \varnothing 32 mm, extendable from 0.5 m to 2.5 m
- Dust class: L
- Voltage: 230 V
- Power consumption: 1200 W
- Maximum underpressure: 23000 Pa
- Filter area: 3000 cm²
- Container volume: 6 l
- Cable length: 5 m
- Hose length: 2.5 m
- Number of suction motors: 1
- Dimensions L x W x H: 300 x 230 x 440 mm
- Weight: 4.7 kg



**Incl. chassis
(9543-03)**



230 V
9643-10
EAN-No. 4000896264933

€ 925.-

Right-angle grinder \varnothing 125 mm

- Soft start thanks to microprocessor electronics
- Restart interlock after power failure
- Anti-kickback – device stops if the speed drops sharply due to canting
- Removable metal protective grille ensures dust protection
- Ergonomic arm working position thanks to slanted side handle
- Lockable slide switch
- Quick adjustment of protective cover without tools
- Spindle lock
- Spindle thread: M14
- Disc diameter: 125 mm
- Voltage: 230 V
- Power consumption: 1100 W
- Power output: 680 W
- Frequency 50/60 Hz
- Cable length: 4 m
- Revolutions per minute: 12000
- Vibration acceleration: 7.8 m/s² (uncertainty: K = 1.5 m/s²)
- Sound pressure level LPA: 90 dB (A)
- Sound power level LWA: 110 dB (A) (uncertainty: K = 3 dB)
- Dimensions L x W x H: 275 x 75 x 105 mm
- Weight: 2 kg



230 V
9633-10
EAN-No. 4000896264919

€ 554.-

Accessories on page 33

Pneumatic tools

Max. loosening torque: 1700 Nm

12.5 1/2"

- Loosening torque (max.): 1700 Nm determined with screw size M: 16
- High performance twin hammer mechanism
- Higher power output, more efficient air flow and improved air motor response torque
- Specially heat-treated internal parts for wear reduction
- Reduced vibrations
- Easy to use
- Revolutions per minute: 8491
- Air requirement: 198 l/min
- Sound pressure level: 91.33 dB(A) Lp A
- Vibration acceleration: 6.11 m/s²
- Housing length: 158 mm
- Weight: 2.15 kg

1/2"



**High power
at a top price!**

One-hand operation by
changeover on rear of device

Exhaust air is guided
downwards through the handle



9012ECO
EAN-No. 4000896273188

€ 621.-

Max. loosening torque: 1200 Nm

12.5 1/2"

- Compact design for work in confined spaces
- Single hammer striking mechanism
- Revolutions per minute: 8800
- Air requirement: 127.4 l/min
- Sound pressure level (at working pressure): 92.2 dB(A) Lp A
- Vibration acceleration: 13.49 m/s²
- Weight: 1.3 kg
- Housing length: 81 mm

1/2"



9012M-1
EAN-No. 4000896218356

€ 1,111.-




| | | | |
|---------------------|------------------------------|----------------------|--------------|
| HAZET No. | Silicone protective cover | EAN-No. 4000896 + | € |
| 9012M-1-S | Suitable for 9012M-1 | 222735 | 39.30 |

TWIN TURBO: THE MOST POWERFUL HAZET IMPACT WRENCH SERIES EVER!



- ▶ 1/2" · 3/4" · 1" Twin Turbo impact wrenches to 4100 Nm power
- ▶ Twin Effect – More power in less time!
- ▶ Two air inlets and four air outlets
- ▶ 8-blade air motor with 25% higher impact performance ensures maximum torque
- ▶ HAZET's own Service Centre for the best aftersales service



Extremely compact

Max. loosening torque: 550 Nm

- Recommended torque: 450 Nm
- Sound power level (at working pressure): 103.9 db(A) Lp W
- Sound pressure level (at working pressure): 92.9 dB(A) Lp A
- Vibration acceleration: 7.64 m/s²
- Revolutions per minute: 8000
- Air requirement: 113 l/min
- Loosening torque (max) determined with screw size M: 16
- Weight: 1.1 kg
- Housing length: 70 mm



9012PTT
EAN-No. 4000896252732

€ * 1,040.-

12⁵ 1/2"

Short: only 128 mm

Max. loosening torque: 2200 Nm

- Recommended torque: 948 Nm
- Sound power level (at working pressure): 110.7 db(A) Lp W
- Sound pressure level (at working pressure): 99.7 dB(A) Lp A
- Vibration acceleration: 8.69 m/s²
- Revolutions per minute: 8300
- Air requirement: 147.2 l/min
- Loosening torque (max.) determined with screw size M: 16
- Weight: 1.6 kg
- Housing length: 128 mm



9012TT
EAN-No. 4000896226924

€ * 1,477.-

12⁵ 1/2"

3/4" Impact wrench in 1/2" housing size

Max. loosening torque: 1890 Nm

- Recommended torque: 900 Nm
- Sound power level (at working pressure): 110.3 db(A) Lp W
- Sound pressure level (at working pressure): 99.3 dB(A) Lp A
- Vibration acceleration: 11.39 m/s²
- Revolutions per minute: 8000
- Air requirement: 150 l/min
- Loosening torque (max.) determined with screw size M: 26
- Weight: 1.7 kg
- Housing length: 128 mm



9013MTT compared with 9013TT



9013MTT
EAN-No. 4000896258062

€ * 2,336.-

20 3/4"

Short: only 184 mm

Max. loosening torque: 4100 Nm

- Recommended torque: 1890 Nm
- Sound power level (at working pressure): 110.5 dB(A) Lp W
- Sound pressure level (at working pressure): 99.5 dB(A) Lp A
- Vibration acceleration: 10.69 m/s²
- Revolutions per minute: 5200
- Air requirement: 243.5 l/min
- Loosening torque (max.) determined with screw size M: 32
- Removable handle, 360° adjustable
- Weight: 4.5 kg
- Housing length: 184 mm



3/4"



20 3/4"

9013TT
EAN-No. 4000896227143

€ 4,195.-

Long spindle: 186 mm

Max. loosening torque: 3800 Nm

- Recommended torque: 1758 Nm
- Sound power level (at working pressure): 113.5 dB(A) Lp W
- Sound pressure level (at working pressure): 102.5 dB(A) Lp A
- Vibration acceleration: 9.02 m/s²
- Revolutions per minute: 5200
- Air requirement: 243 l/min
- Loosening torque (max.) determined with screw size M: 32
- Removable handle, 360° adjustable
- Weight: 5.5 kg
- Housing length: 184 mm
- Length of spindle: 186 mm



3/4"



20 3/4"

9013LGT
EAN-No. 4000896232277

€ 4,621.-

Strong and handy

Max. loosening torque: 4100 Nm

- Recommended torque: 1898 Nm
- Sound power level (at working pressure): 112.9 dB(A) Lp W
- Sound pressure level (at working pressure): 101.9 dB(A) Lp A
- Vibration acceleration: 19.11 m/s²
- Revolutions per minute: 5200
- Air requirement: 235 l/min
- Loosening torque (max.) determined with screw size M: 32
- Removable handle, 360° adjustable
- Weight: 4.6 kg
- Housing length: 184 mm



1"



25 1"

9014TT
EAN-No. 4000896234684

€ 4,663.-

Long spindle: 240 mm

Max. loosening torque: 3850 Nm

- **Short, compact design**
- Recommended torque: 1627 Nm
- Sound power level (at working pressure): 113.5 dB(A) Lp W
- Sound pressure level (at working pressure): 102.5 dB(A) Lp A
- Vibration acceleration: 17.31 m/s²
- Revolutions per minute: 4600
- Air requirement: 235 l/min
- Loosening torque (max.) determined with screw size M: 32
- Removable handle, 360° adjustable
- Weight: 5.9 kg
- Housing length: 184 mm
- Length of spindle: 240 mm



1"



25 1"

9014LGT
EAN-No. 4000896234677

€ 5,010.-

Max. loosening torque: 54 Nm

- The open 17 mm inside hexagon means it is also possible to work on extra long threads
- Can be used for $\frac{3}{8}$ ", $\frac{1}{2}$ " and $\frac{3}{4}$ " by replacing the ratchet heads
- Sound power level (at working pressure): 93.8 db(A) Lp W
- Sound pressure level (at working pressure): 82.8 dB(A) Lp A
- Vibration acceleration: 3.20 m/s²
- Revolutions per minute: 400
- Air requirement: 84 l/min
- Weight: 0.48 kg
- Length: 160 mm

17 mm



Mini and multifunction



4

9023M-1
EAN-No. 4000896227112

€ 1,202.-

Max. loosening torque: 40 Nm

- For manual retightening with torque values: > 60 Nm
- Sound power level (at working pressure): 101 db(A) Lp W
- Sound pressure level (at working pressure): 90 dB(A) Lp A
- Vibration acceleration: 3.30 m/s²
- Revolutions per minute: 250
- Air requirement: 72 l/min
- Weight: 0.5 kg
- Length: 150 mm



1/4"

Closed head



6.3 1/4"

9020P-2
EAN-No. 4000896184323

€ 1,016.-

Max. loosening torque: 54 Nm

- For manual retightening with torque values: > 260 Nm
- Sound power level (at working pressure): 103 db(A) Lp W
- Sound pressure level (at working pressure): 92 dB(A) Lp A
- Vibration acceleration: 3.90 m/s²
- Revolutions per minute: 300
- Air requirement: 103 l/min
- Weight: 0.5 kg
- Length: 150 mm



3/8"

Closed head



10 3/8"

9021P-2
EAN-No. 4000896184545

€ 1,016.-


Max. loosening torque: 108 Nm

- For manual retightening with torque values: > 400 Nm
- Sound power level (at working pressure): 109 db(A) Lp W
- Sound pressure level (at working pressure): 98 dB(A) Lp A
- Vibration acceleration: 6.02 m/s²
- Revolutions per minute: 280
- Air requirement: 113 l/min
- Weight: 1.24 kg
- Length: 258 mm



1/2"

Closed head



12.5 1/2"

9022P-2
EAN-No. 4000896184538

€ 1,405.-

Max. loosening torque: 102 Nm

- For manual retightening with torque values: > 270 Nm
- Sound power level (at working pressure): 98 db(A) Lp W
- Sound pressure level (at working pressure): 91 dB(A) Lp A
- Vibration acceleration: 4.53 m/s²
- Revolutions per minute: 400
- Air requirement: 113 l/min
- Weight: 1.28 kg
- Length: 280 mm



1/2"

Pin clutch mechanism

Impact air ratchet:
High occupational safety
thanks to reaction-free
striking mechanism!



9022SR-1
EAN-No. 4000896170593

€ 1,500.-

Max. loosening torque: 120 Nm

- For manual retightening with torque values: > 500 Nm
- Sound power level (at working pressure): 102.2 db(A) Lp W
- Sound pressure level (at working pressure): 91.2 dB(A) Lp A
- Vibration acceleration: 4.87 m/s²
- Revolutions per minute: 200
- Air requirement: 107.6 l/min
- Weight: 1.55 kg
- Length: 285 mm



1/2"

360° operating lever

Quiet Mode

30% less noise thanks to the ability to reduce operating noise / Quiet Mode (approx. 10 dB)



9022-360
EAN-No. 4000896209781

€ 1,553.-

Micro die grinder

- Power: 190 watts
- Collet chuck: 3 mm
- Revolutions per minute: 60000



Long service life thanks to Kevlar blades!



9032MK

EAN-No. 4000896248346

€* 752.-

Accessories

| HAZET No. | Carbide milling pin set | EAN-No. 4000896+ | €* |
|-----------|-------------------------|------------------|-------|
| 9032-03/5 | 3 mm (5 pieces) | 222483 | 579.- |

Micro die grinder, angled

- Power: 186.4 watts
- Collet chuck: 3 mm
- Revolutions per minute: 70000



Long service life thanks to Kevlar blades!



9032M-53

EAN-No. 4000896246205


€* 1,336.-

Accessories

| HAZET No. | Carbide milling pin set | EAN-No. 4000896+ | €* |
|-----------|-------------------------|------------------|-------|
| 9032-03/5 | 3 mm (5 pieces) | 222483 | 579.- |

Mini die grinder

- Power: 224 watts
- 6 mm collet chuck with 3 mm adapter to accommodate both grinding pad dimensions
- Revolutions per minute: 30000



9032M-36

EAN-No. 4000896209606


€* 1,049.-

Accessories

| HAZET No. | Carbide milling pin set | EAN-No. 4000896+ | €* |
|-----------|-------------------------|------------------|-------|
| 9032-03/5 | 3 mm (5 pieces) | 222483 | 579.- |
| 9032-06/3 | 6 mm (3 pieces) | 222667 | 523.- |

Engraving pen

- Power: 186.4 watts
- Precise and lasting marking (theft protection, installation date, etc.) on workpieces (up to HRC55) · metals · stone · ceramics · plastics
- Revolutions per minute: 13000



9035G-1

EAN-No. 4000896246625

€* 1,000.-

Die grinder, straight design

- Power: 224 watts
- Lightweight, handy device for grinding, polishing, burnishing and deburring
- Collet chuck: 6 mm
- Revolutions per minute: 2000–25000



9032N-1

EAN-No. 4000896189359

€* 783.-

Die grinder, angled

- Power: 224 watts
- Grinding, polishing, burnishing and deburring, particularly in areas that are difficult to access
- Continuous speed regulation via setting wheel on the upper side of the device
- Collet chuck: 6 mm
- Revolutions per minute: 2000–20000



9032N-5

EAN-No. 4000896198788

€* 945.-

* Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.

Belt sander

- Power: 417.6 watts
- Incl. hex-head wrench for fine adjustment of the belt and angle setting in the handle
- Revolutions per minute: 19000



9033N-4
EAN-No. 4000896210183

Abrasive belts



€ 1,366.-



| HAZET No. | Spare parts | 🔌 | EAN-No. 4000896+ | €* |
|--------------|-----------------------------------|----|------------------|-------|
| 9033-480/10 | Abrasive belt set, grain size 80 | 10 | 139101 | 100.- |
| 9033-4100/10 | Abrasive belt set, grain size 100 | 10 | 139118 | 100.- |
| 9033-4120/10 | Abrasive belt set, grain size 120 | 10 | 139125 | 100.- |

Right-angle grinder

- Power: 671 watts
- For grinding wheels 0.8–6 mm thick
- Revolutions per minute: 12000



9033N-7
EAN-No. 4000896205547

€ 1,704.-



| HAZET No. | Spare parts | 🔌 | EAN-No. 4000896+ | €* |
|-------------|---|----|------------------|-------|
| 9233-010/5 | Cut-off wheel set (125x1 x 22.23 mm) | 5 | 219063 | 51.80 |
| 9233-010/25 | Cut-off wheel set (125x1 x 22.23 mm) | 25 | 219070 | 222.- |
| 9233-011/10 | Rough grinding wheel set (125x6x22.23 mm) | 10 | 219087 | 157.- |

Angle grinder

- Power: 700 watts
- Revolutions per minute: 14000
- Length: 371 mm



9033P-8
EAN-No. 4000896190515

€ 1,838.-



| HAZET No. | Spare parts | 🔌 | EAN-No. 4000896+ | €* |
|-------------|-------------------|----|------------------|-------|
| 9033P-08/5 | Cut-off wheel set | 5 | 201549 | 102.- |
| 9033P-08/25 | Cut-off wheel set | 25 | 201402 | 403.- |

Cut-off grinder

- Power: 522 watts
- For cut-off wheels: 76 x 2.1 x 10 mm
- Including 1 cut-off wheel
- Revolutions per minute: 2000–18000



9033-10
EAN-No. 4000896196371

€ 898.-



| HAZET No. | Spare parts | 🔌 | EAN-No. 4000896+ | €* |
|------------|-------------------|---|------------------|-------|
| 9033-010/5 | Cut-off wheel set | 5 | 199969 | 160.- |

Orbital sander

- Power: 375 watts
- Dust extraction
- Suction hose (2.0 m) and collection bag included
- Grinding disc with 15 bore holes, Ø 150 mm with hook and loop fastener
- Air requirement: 57 l/min
- Weight: 0.9 kg
- Length: 231 mm



9033-2
EAN-No. 4000896156337

€ 1,706.-



| HAZET No. | Spare parts | 🔌 | EAN-No. 4000896+ | €* |
|--------------|----------------------------------|----|------------------|-------|
| 9033-180/10 | Grinding pad set, grain size 80 | 10 | 139330 | 106.- |
| 9033-1100/10 | Grinding pad set, grain size 100 | 10 | 139347 | 81.- |
| 9033-1120/10 | Grinding pad set, grain size 120 | 10 | 139354 | 101.- |
| 9033-1150/10 | Grinding pad set, grain size 150 | 10 | 139361 | 101.- |
| 9033-020 | 15-hole grinding disc, Ø 150 mm | 1 | 156351 | 373.- |

Mini disc sander, angled

- Power: 224 watts
- Heavy-duty multi-bearing gearbox with a 2.5-times longer service life compared to conventional gearboxes
- Roloc® quick-change system: Combines with many abrasive media
- Grinding disc: Ø 50 mm
- Weight: 0.44 kg
- Length: 126 mm



9033M-11
EAN-No. 4000896227129

€ 982.-



Bristle grinder set

- For using with various grinding media to remove rust, paint, adhesive and sealing residues or to clean metal surfaces and weld seams
- Roloc® quick-change system allows the abrasive media to be changed quickly and easily without needing to use any extra tools
- Sound power level (at working pressure): 86 db(A) Lp W

- Sound pressure level (at working pressure): 75 dB(A) Lp A
- Vibration acceleration: 3.11 m/s²
- Revolutions per minute: 15000
- Air requirement: 79 l/min
- Weight: 0.54 kg
- Length: 112 mm
- Height: 152 mm

17



17 pieces



9033-11/17

EAN-No. 4000896222575

€ 1,287.-



| HAZET No. | Spare parts | Quantity | EAN-No. 4000896+ | Price* |
|----------------|---|----------|------------------|--------|
| 9033-11-015 | ① Bristle grinding disc, 1/4" UNC Roloc®, Ø 50 mm | 1 | 222841 | 83.30 |
| 9033-11-020/4 | ② Strip wheel set, Ø 50.8 mm Roloc®, hard version | 4 | 222834 | 141.- |
| 9033-11-030/4 | ③ Strip wheel set, Ø 50.8 mm Roloc®, soft version | 4 | 222728 | 123.- |
| 9033-11-036/2 | ④ Spare bristle grinder set, purple, Ø 50 mm Roloc®, grain size: 36 | 2 | 222872 | 241.- |
| 9033-11-050/2 | ⑤ Spare bristle grinder set, green, Ø 50 mm Roloc®, grain size: 50 | 2 | 222865 | 188.- |
| 9033-11-0120/2 | ⑥ Spare bristle grinder set, white, Ø 50 mm Roloc®, grain size: 120 | 2 | 222858 | 245.- |

Mini polisher

- Power: 224 watts
- Heavy-duty multi-bearing gearbox with a 2.5-times longer service life compared to conventional gearboxes
- Grinding disc: Ø 50 mm



9033M-9

EAN-No. 4000896227235

€ 1,107.-



Mini polisher set

- Power: 238 watts
- Revolutions per minute: 3200

6



Contents:

- 1 polisher
- 1 wet grinding pad, Ø 75 mm
- 1 plastic pad, hard (yellow)
- 1 plastic pad, soft (white)
- 1 lambskin
- 1 adjusting wrench



9033N-9

EAN-No. 4000896205561

€ 1,345.-

Mini orbital sander set

- Power: 238 watts
- With hook and loop fastener
- Revolutions per minute: 15000

36



Contents:

- 1 orbital sander
- 1 grinding disc 50 mm (2")
- 1 grinding disc 75 mm (3")
- 10 grinding pads, each grain size 320
- 10 grinding pads, each grain size 400
- 10 grinding pads, each grain size 600
- 1 adjusting wrench
- 1 hook and loop fastener
- 1 air inlet nipple 9000-010



9033N-5

EAN-No. 4000896205585

€ 1,324.-

Mini needle scaler

- 13 thin stainless steel needles ensure damage-free processing and highly fine surface structure
- 28 mm slim / short pin form and free needles allow you to reach difficult to access areas as well
- Suitable for processing stainless steel
- 3000 impacts / minute
- Length: 235.6 mm



Adjustable needle carriage with integrated needle guide ensures long service life

9035M-6
EAN-No. 4000896258109

€ 1,507.-

| HAZET No. | Spare parts | Quantity | EAN-No. 4000896+ | Price* |
|-----------|---|----------|------------------|--------|
| 9035M-050 | Spare needles for mini needle scaler 9035 M-6, Ø 1.3 mm | 13 | 233205 | 285.- |

* Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.

Needle scaler

- Precisely removing rust, etc.
- Pistol shape
- Adjustable needle cover enables maximum utilisation of needles
- 2-piece housing design for easy maintenance
- 19 needles, Ø 3 mm
- 3,200 impacts/min
- Length: 330 mm



9035-5
EAN-No. 4000896132355

€ * 2,144.-



| HAZET No. | Spare parts | EA | EAN-No. 4000896+ | € * |
|-----------|--|----|------------------|-------|
| 9035-050 | Spare needles for needle scaler 9035-5, Ø 3 mm | 19 | 139385 | 160.- |

Vibration chisel set

- Vibration applications on screw connections seized by rust
- Strike rate adjustable in 9 levels up to 2600 strikes/min
- Including keyless drill chuck
- Length: 211 mm
- Height: 189 mm



9035V/5
EAN-No. 4000896213368

€ * 1,947.-



| HAZET No. | Spare parts | EAN-No. 4000896+ | € * |
|------------|---|------------------|---------|
| ① 9035VH | Combination basic unit (vibration and hammer functions) | 214020 | 1,380.- |
| ② 9035V-01 | Semi-circular vibration chisel | 214181 | 164.- |
| ③ 9035V-02 | Circular vibration chisel | 214174 | 164.- |
| ④ 9035V-03 | Vibration chisel | 214167 | 204.- |
| ⑤ 9035V-04 | Vibration chisel | 214150 | 204.- |

Chisel hammer set

- Detaching car body sheets with compressed air and for industrial application
- Strike rate adjustable in 9 levels up to 2600 strikes/min
- Including keyless drill chuck
- Length: 211 mm
- Height: 189 mm



9035H/6
EAN-No. 4000896214655

€ * 1,496.-

| HAZET No. | Spare parts | EAN-No. 4000896+ | € * |
|------------|---|------------------|---------|
| ① 9035VH | Combination basic unit (vibration and hammer functions) | 214020 | 1,380.- |
| ② 9035H-01 | Flat chisel | 214136 | 83.30 |
| ③ 9035H-02 | Sheet metal cutting chisel | 213924 | 83.30 |
| ④ 9035H-03 | Pointed chisel | 214198 | 83.30 |
| ⑤ 9035H-04 | Rivet cutting chisel | 214143 | 83.30 |
| ⑥ 9035H-05 | Curve cutting chisel | 214525 | 83.30 |

Sabre saw

- Support frame, adjustable in height, suitable for double-walled sheet steel
- Increased efficiency with reduction of weight, air consumption, noise generation and vibration
- Direction of air exhaust adjustable
- Suitable for cutting small radii
- Cutting capacity aluminium: 4 mm
- Cutting capacity sheet steel: 3 mm
- Strokes/min.: 9500
- Particularly suitable for cleaning sensor shafts etc., thanks to the attachment of file blades (included in delivery)


9034P-2
EAN-No. 4000896218288

€ * 1,461.-



| HAZET No. | Spare parts | EA | EAN-No. 4000896+ | € * |
|-------------|--|----|------------------|-------|
| 9034P-R/5 | Reciprocal saw blades, chamfered teeth, length: 153 mm | 5 | 218318 | 181.- |
| 9034P-050/5 | File set, length: 153 mm | 5 | 218349 | 181.- |
| 9034P-018/5 | Saw blades, 93 mm, 18 teeth | 5 | 225958 | 123.- |
| 9034P-024/5 | Saw blades, 93 mm, 24 teeth | 5 | 225965 | 123.- |
| 9034P-032/5 | Saw blades, 93 mm, 32 teeth | 5 | 225989 | 123.- |

More vibration chisels



| HAZET No. | Designation | EA | EAN-No. 4000896+ | € * |
|-------------|---------------------------|----|------------------|-------|
| ① 9035V-05 | Flat vibration chisel | 1 | 227266 | 118.- |
| ② 9035V-06 | Vibration drift pin 6 mm | 1 | 227259 | 97.20 |
| ③ 9035V-08 | Vibration drift pin 8 mm | 1 | 227297 | 97.20 |
| ④ 9035V-09 | Curved vibration chisel | 1 | 227280 | 347.- |
| ⑤ 9035V-010 | Vibration drift pin 10 mm | 1 | 227273 | 97.20 |

Air blow and suction gun, switchable

- Sucking up dirt into the collection bag as well as for blowing surfaces clean
- Deflector special bag insert protects the bag against damage, e. g. due to swarfs, by preventing direct impact of the accelerated swarfs
- One-hand reversing switch
- Metal housing
- Vacuum level: 7.5 mmHg



9043N-10
EAN-No. 4000896198382

€ 535.-



| HAZET No. | Spare parts | | EAN-No. 4000896 + | € * |
|---------------|------------------------------|---|-------------------|------|
| 9043N-10-07/2 | Dust collecting bag set | 2 | 202607 | 81.- |
| 9043N-10-08/2 | Fine dust collecting bag set | 2 | 222827 | 81.- |

Cooling system rinsing, wash-gun set

- Effective, powerful and solvent-free cleaning of e.g. cooling systems with graduated system cleaning nozzle
- Cleaning without the use of aggressive chemicals or solvents
- Swivel joint at the water connection, helps to avoid "hose spaghetti"
- Continuous independent regulation of water and compressed air supply
- Temperature range: -10 °C to +40 °C

Contents:

- Water connection variants: 13 mm (1/2") nipple for water coupling (Gardena system compatible) or 20 mm (3/4") GHT thread
- Graded system cleaning nozzle
- Jet washing nozzle



9048P-2/3
EAN-No. 4000896234608

€ 463.-

Car body gun

- For underbody protection and cavity sealing
- Suitable for aqueous and oily liquids
- Including metal intake pipe, nozzle and cavity tube
- Temperature range: -10 °C to 80 °C
- Max. working pressure: 16 bar
- Length: 251 mm



9042P-4
EAN-No. 4000896209613

€ 347.-

Blind rivet gun

- Pneumatic / hydraulic
- For blind rivets up to 4.8 mm
- Possible rivet sizes:
 - Aluminium rivets: 2.4–4.8 mm
 - Steel rivets: 2.4–4.8 mm
 - Stainless steel rivets: 2.4–3.2 mm
- 4 nose pieces (one pre-installed): 2.4 · 3.2 · 4 · 4.8 mm
- Total stroke: 14 mm
- Sturdy metal housing
- Tractive power: 8700 N
- Coupler plug with rotary joint for flexible operation
- Air requirement: 1 l / stroke



9037SPC
EAN-No. 4000896150188

€ 1,125.-

Air blow gun, long (1085 mm)



9040LG-3/2
EAN-No. 4000896206339

€ 535.-

Nozzles for long air blow gun:

Venturi nozzle

- 100% increase in air outlet quantity thanks to Venturi effect
- For 9040-4 and 9040 LG-3/2




9040LG-3-01
EAN-No. 4000896241514

€ 139.-

Lateral nozzle 90°

- Nozzle enables lateral blow-out, e.g. for cleaning cooling fins and other hard-to-reach areas
- For 9040-4 and 9040 LG-3/2



9040LG-3-02
EAN-No. 4000896241521

€ 139.-

Turbo air blow gun

- Swirl nozzle generates a strong air pulse for cleaning even stubborn soiling
- To be used on machinery, vehicles, in workshops, for wood work, in hobby workshops
- Highly practical design
- Air inlet: inside thread 12.91 mm (1/4")
- Coupler plug: nominal size 7.2 (included)
- Hose diameter (recommended): 10 mm
- Max. pressure: 12 bar
- Sound pressure level (at working pressure): 91 dB(A) Lp A
- Sound power pressure (at working pressure): 102 dB(A) Lp W
- Air requirement: 80 l/min (at working pressure)
- Length: 150 mm



Extremely effective due to swirled air impact!



9040T-1
EAN-No. 4000896252626

€ 271.-

2-way air blow gun with replaceable nozzle

- Choice of air supply at tool head or handle
- Exchangeable nozzles:
 - Short nozzle for areas with restricted access
 - Long nozzle (112 mm) with safety nozzle tip (scratch protection)
- Max. working pressure: 10 bar



9040-4
EAN-No. 4000896176236

€ 155.-



Incl.

Extendable

Nozzle set

- Extension of the application ranges of the 2-way air blow gun 9040-4 and the long air blow gun 9040Lg-3/2
- Wide range of applications thanks to various nozzle designs
- Connection (outside thread): 1/8" PF 28

Contents:

- ① Long rubber nozzle 63 mm (scratch protection)
- ② Short rubber nozzle 13 mm (scratch protection)
- ③ Plastic surface nozzle (surface cleaning)
- ④ Metal nozzle with spherical air outlet (non-blocking)
- ⑤ Metal nozzle with safety function (non-blocking)



9040-43/5
EAN-No. 4000896263646

€ 155.-



Standard nozzle

- Curved tube: \varnothing 8 mm, 100 mm
- Temperature range: -10 °C to 80 °C
- Max. working pressure: 16 bar
- Length: 247 mm

9040P-1
EAN-No. 4000896209545

€ 100.-



Standard nozzle, low-noise

- Curved tube: \varnothing 8 mm, 100 mm
- Non-blocking
- Temperature range: -10 °C to 80 °C
- Max. working pressure: 12 bar
- Length: 255 mm

9040P-3
EAN-No. 4000896209644

€ 178.-



Venturi nozzle

- Curved tube: \varnothing 8 mm, 100 mm
- 100% increase in air outlet quantity thanks to Venturi effect
- Temperature range: -10 °C to 80 °C
- Max. working pressure: 16 bar
- Length: 265 mm

9040P-4
EAN-No. 4000896209569

€ 178.-



Broad, flat nozzle

- Considerable blowing force
- Non-blocking
- Temperature range: -10 °C to 80 °C
- Max. working pressure: 8 bar
- Length: 203 mm

9040P-5
EAN-No. 4000896209576

€ 183.-



Long nozzle

- Straight tube: \varnothing 8 mm, 300 mm
- Temperature range: -10 °C to 80 °C
- Max. working pressure: 16 bar
- Length: 420 mm

9040P-2
EAN-No. 4000896209552

€ 178.-

Hose reel

- Automatic hose reel offers tidiness in the workshop – hose not left lying around, thus reducing the risk of accidents
- For compressed air
- Max. working pressure: 20 bar
- Length of connection hose: 0.8 m
- Automatic guidance winds the hose neatly
- Braked winding to prevent risk of accidents

- **Hose inside Ø: 10 mm**
- Temperature range: -40 °C to 60 °C
- Dimensions: 459 x 378 x 205 mm

9040N-10

EAN-No. 4000896206445

€* 1,116.-






Hose length: 15 m

- **Hose inside Ø: 13 mm**
- Temperature range: -40 °C to 80 °C
- Dimensions: 500 x 418 x 210 mm

9040N-13

EAN-No. 4000896214648

€* 1,287.-



Open hose reel

- Automatic hose reel ensures tidiness
- Robust steel design with roller guide
- For compressed air
- Integrated roller inlet
- Swivelling base 180°
- Open design against accumulation of dirt
- Visual inspection of the hose
- Dimensions: 400 x 186 x 522 mm

- **Hose inside Ø: 10 mm**

9040OS-10

EAN-No. 4000896252602

€* 1,354.-

Hose length: 20 m



Cable reel

- Automatic cable reel offers tidiness in the workshop – cable not left lying around, thus reducing the risk of accidents
- Including line circuit breaker
- Only suitable for indoor use
- 230 V AC
- Cable: H07RN-F 3 x 2.5 mm²
- Cable length: 20 m
- Connecting cable length: 1.3 m
- Automatic guidance winds the hose neatly
- Braked winding to prevent risk of accidents

9040D-2.5

EAN-No. 4000896214631

€* 1,598.-



Cable length: 20 m



Compressed air hose

- Wide temperature range
- Complies with DIN EN ISO 5774
- Compressed air hose with quick coupling and connecting nipple
- Pressed coupler bushing / coupler plug
- Burst pressure: 60 bar
- PVC-NBR hybrid polymer compressed air hose

Incl. kink protection on both sides



Spiral hose

- High flexible polyurethane hose
- Connecting pieces with 360° swivel joints
- Temperature range: -20 °C to 60 °C
- Working pressure: 10 bar



| HAZET No. | Hose length | Inside diameter of the hose Ø | EAN-No. 4000896+ | €* |
|------------|-------------|-------------------------------|------------------|-------|
| 9040N-1010 | 10 m | 10 mm | 263684 | 140.- |
| 9040N-1020 | 20 m | 10 mm | 263707 | 206.- |

| HAZET No. | Hose length | Inside diameter of the hose Ø | EAN-No. 4000896+ | €* |
|-----------|-------------|-------------------------------|------------------|-------|
| 9040-7 | 7.62 m | 6.35 mm | 153404 | 285.- |
| 9040S-10 | 7.62 m | 10 mm | 212361 | 401.- |

*Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.

Hose lubricator

- For motor-driven pneumatic tools with outside thread air inlet 12.91 mm | 1/4"
- Automatic oiling for extending the service life of pneumatic tools
- Quick changeover between different pneumatic tools thanks to integrated air connection coupling and nipple
- Flexible connection minimises the effects of drop damage for tools and oilers
- Refillable, filling capacity 28 ml
- Maximum air flow rate: 261 l/min.
- Compressed air hose: 300 mm
- Especially suited for connections without own oil supply
- Incl. hose, compressed air coupling and nipple ensures flexible use on various lines in the system and on various devices



NEW!

Compressed air coupling: Germany (standard) · Austria · Slovenia · Hungary · China · India · Portugal · Poland · Romania · Turkey NW7.2 type Rectus corresponds to 9000-010/3



9070N-2
EAN-No. 4000896277308

€ 128.-



Compressed air quick coupling

- For connecting compressed air to pneumatic tools
- Inside thread: 16.41 mm | 3/8"
- One-hand operation – Easy operation, even with gloves
- Material: Steel, nickel-plated
- Working range: 0 – 15 bar



9001-061
EAN-No. 4000896258468

€ 97.20

Safety coupling

- For air inlet nipple 7.2 mm
- Working range: 0 – 20 bar
- Air inlet thread (inside thread): 16.41 mm | 3/8"
- Suitable for hose reel 9040N-10



9000-061
EAN-No. 4000896195299

€ 237.-

Safety coupling

- For air inlet nipple: 10 mm
- Working range: 0 – 50 bar
- Air inlet thread (inside thread): 20.95 mm | 1/2"
- Suitable for hose reel 9040N-13



9000-062
EAN-No. 4000896218936

€ 289.-

Rotary joint

- With continuous air flow rate reducer
- Air flow regulation by means of setting wheel
- 360° rotation joint in 2 axes
- Maximum pressure: 16 bar
- Air inlet: inside thread 12.91 mm 1/4"
- Air outlet: inside thread: 12.91 mm 1/4"



9000-040
EAN-No. 4000896195350

€ 275.-

Rotary joint

- 360° rotation joint in 2 axes
- Maximum pressure: 16 bar
- Air inlet: inside thread: 12.91 mm 1/4"
- Air outlet: outside thread: 12.91 mm 1/4"



9000-041
EAN-No. 4000896204441

€ 116.-

Compressed air reducer

- Reduction of working pressure to protect high-quality pneumatic equipment
- Max. inlet pressure: 10 bar
- Outlet pressure 6.3 bar
- Air inlet: inside thread 12.91 mm 1/4"
- Air outlet: outside thread: 12.91 mm 1/4"



9000-080
EAN-No. 4000896214709

€ 352.-

Air inlet nipple

- For connecting our hose reels with 16.41 mm (3/8") coupler thread (outside) to type 1 compressed air couplings
- 16.41 mm (3/8") inside thread



9000-015
EAN-No. 4000896253258

€ 32.40



Grease gun

- Filling capacity: 400 ml

9042N-1
EAN-No. 4000896176472

€ 676.-



Mini grease gun

- Filling capacity: 80 g

2162M
EAN-No. 4000896185634

€ 140.-



High performance lubricant

- Grease cushion: 60 ml

Made in Germany

9300N-60
EAN-No. 4000896203406

€ 57.90



Mini oiler

- Filling capacity: 28 ml

9070N-1
EAN-No. 4000896206407

€ 100.-



Special pneumatic tool oil

- Filling capacity: 100 ml

Made in Germany

9400-100
EAN-No. 4000896191390

€ 50.90



- Filling capacity: 1,000 ml

Made in Germany

9400-1000
EAN-No. 4000896191406

€ 125.-

Wireless charging light sets



Contents:
 – 1979W-11 pen light
 – 1979W-85 solid light
 – 1979WP-2 charging pad for 2 lights
 – Incl. 100 cm USB-C cable and 2 A / 5 V power supply unit

1979W2/3
 EAN-No. 4000896258208

€ **901.-**



Contents:
 – 2 x 1979W-11 pen light
 – 1979WP-2 charging pad for 2 lights
 – Incl. 100 cm USB-C cable and 2 A / 5 V power supply unit

1979W-11/3
 EAN-No. 4000896235247

€ **639.-**



Contents:
 – 1979W-82 LED pocket light
 – 1979W-92 LED slim light
 – 1979WP-2 charging pad for 2 lights
 – Incl. 100 cm USB-C cable and 2 A / 5 V power supply unit

1979W1/3
 EAN-No. 4000896241408

€ **1,067.-**



Contents:
 – 1979W-11 pen light
 – 1979W-82 pocket light
 – 1979WP-2 charging pad for 2 lights
 – Incl. 100 cm USB-C cable and 2 A / 5 V power supply unit

1979NW/3
 EAN-No. 4000896235261

€ **810.-**



Wireless charging lights

| HAZET No. | Designation | Main light lumen operating time | Top light lumen operating time | EAN-No. 4000896 + | € * |
|------------|-----------------------------|-----------------------------------|----------------------------------|-------------------|-------|
| ① 1979W-82 | LED pocket light | 30 – 300 lm 2 h | 100 lm 5 h | 227228 | 417.- |
| ② 1979W-11 | LED pen light | 20 – 200 lm 2.5 h | 120 lm 4 h | 235230 | 204.- |
| ③ 1979W-85 | LED solid light | 60 – 600 lm 3 h | 300 lm 4.5 h | 241484 | 440.- |
| ④ 1979W-92 | LED slim light | 110 – 1100 lm 3 h | 150 lm 11 h | 241422 | 500.- |
| ⑤ 1979WP-1 | Charging pad for one light | – | – | 227952 | 250.- |
| ⑥ 1979WP-2 | Charging pad for two lights | – | – | 227945 | 336.- |

With charging cable



Choice of rechargeable battery or battery!



UV light for faster and clearer localisation of leaks



Incl. USB-C charger cable

| HAZET No. | Designation | Main light lumen operating time | Top light lumen operating time | EAN-No. 4000896 + | € * |
|------------|-------------------------|-----------------------------------|----------------------------------|-------------------|-------|
| ① 1979N-82 | LED pocket light | 30 – 300 lm 2 h | 100 lm 5 h | 227211 | 308.- |
| ② 1979-11 | LED pen light | 20 – 200 lm 2.5 h | 120 lm 4 h | 235254 | 162.- |
| ③ 1979N-85 | LED solid light | 60 – 600 lm 3 h | 300 lm 4.5 h | 241491 | 414.- |
| ④ 1979N-92 | LED slim light | 110 – 1100 lm 3 h | 150 lm 11 h | 241415 | 556.- |
| ⑤ 1979-74 | LED penlight, focusable | 500 lm 2 h | – | 272853 | 162.- |
| ⑥ 1979-75 | UV LED torch light | 800 lm 3 h | – | 272891 | 264.- |

* Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
 Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.


VIDEO BORESCOPIES WITH HD CAMERA – OPTIMAL DETAIL ACCURACY!

- ▶ Bright and sharper image
- ▶ Better details
- ▶ Clearer image



HD video borescope set with 360° swivelling probe \varnothing 3.9 mm

- Wired connection of a smartphone as a display (Lightning / USB-C)
- Additional magnification of the image possible using the smartphone display (drag)
- Image memory dependent on smartphone memory
- Robust, swivelling and adjustable smartphone holder (span: 58 – 100 mm)
- With temperature warning alarm (app) and automatic switch-off if the maximum permissible camera temperature is exceeded
- Photo and video recording via app or control via operating elements of the borescope
- Joystick control of the camera probe on the basic unit
- Focus range (DOF): 5 – 100 mm
- Viewing angle (FOV): 100°



5



Your own smartphone as a display!

Removable Li-Ion battery (1 x type 18650) without additional tools

Fully articulating probe with \varnothing 3.9 mm

Your own smartphone as a display



Joystick control



Control via joystick and operating elements



Smartphone holder (58 – 100 mm)



4812-24/4AF

| | |
|---|---|
| Camera probe | \varnothing 3.9 mm articulating probe with front camera (Axial 180°, Radial 360°) |
| Display | Depending on the smartphone connected |
| Zoom | Zoom: 5x (with display of the zoom factor in the app) |
| Display resolution | Depending on the smartphone connected |
| Brightness setting | 3-level |
| Energy source | Removable Li-ion battery (1 x type 18650) without additional tools |
| Image format (jpg) | 640 x 480 / 1280 x 720 pixels |
| Video format (MP4) | 640 x 480 / 1280 x 720 pixels |
| Data transfer | USB-C |
| IP protection rating | IP54 (basic unit) IP67 (probe) |
| Handling | With handle and sturdy smartphone holder |
| Tripod thread | ✓ |
| Connectivity | USB-A to USB-C / USB-A to Lightning / USB-A to Micro-USB |
| Smartphone App Android / iOS | ✓ |
| Weight, device without battery and smartphone | 0.38 kg |
| Dimensions (L x W x H) | 220 x 78 x 50 mm |

5-piece set in protective soft case with moulded insert:

- Basic unit and HD probe
- Data cable USB-A to Lightning (iOS), length: 0.3 m
- Data cable USB-A to USB-C (Android, current iOS etc.), length: 0.3 m
- Data cable USB-A to Micro-USB (Android etc.), length: 0.3 m
- Charging cable USB-A to USB-C, length: 1.0 m



Detailed information



4812-24/4AF

EAN-No. 4000896264568

€ 4,147.-



Thermal camera with fusion mode

- Screen size: 2.4 inch LCD screen
- Display resolution: 320 x 240 pixels
- Thermal (or Enhanced IR) resolution: 160 x 120 pixels
- Field of view: 50° x 50°
- Temperature measuring range: -20°C to 550°C
- Battery life: up to 8 h
- Integrated 4 GB flash memory (up to 18,000 images)
- Dimensions (H x W x D): 196 x 117 x 59 mm
- Weight: 290 g



Detailed information



Photo + thermal object image = Fusion Mode



Laser pointer for targeting

Additional camera for creating visual images enables Fusion Mode (640 x 480 pixels)

6 colour palettes for diagnostics

Field of view: 50° x 50°

1992N-1

EAN-No. 4000896263523

€ 1,896.-



Digital current clamp meter

- Measuring voltage, current and resistance
- Simple operation thanks to clear control panel and illuminated LCD display
- AC/DC current measurement without disconnecting the cable
- NCV (Non-Contact Voltage) function
- With multimeter function
- Measurement category CAT III 300 V, CAT II 600 V
- Capacitance measurement up to 20 mF
- Pliers opening Ø 17 mm
- Incl. continuity test, diode test, data hold and auto power-off function
- Incl. storage bag and protective cover (protects against drop damage and dust)
- Including CAT III test lead set
- Power supply 2 x 1.5 V AAA batteries
- Dimensions L x W x H: 33.50 x 60 x 175 mm
- Weight (without batteries): 150 g



Three measuring devices in one:

1. Current clamp meter
2. Multimeter
3. Voltage tester (non-contact)



2152-610


EAN-No. 4000896268542

€ 828.-



Multimeter

- For measuring voltage, resistance, frequency, capacitance and temperature
- Protective cover protects multimeter against damage from being dropped
- Including measuring tips for clipping into the protective cover
- Including temperature probe from -20°C to 200°C
- Including 2 x AA batteries
- DC voltage: 0 – 600 V
- AC voltage: 0 – 600 V
- Direct current: 0 – 10 A
- Alternating current: 0 – 10 A
- Resistance: 0 – 60 MΩm
- Diode test
- During the continuity test, the integrated buzzer signals continuity below 50 Ohm
- Frequency: 0 – 10 MHz
- Duty cycle
- Capacitance measurement: 0 – 60 MΩm
- Automatic switch-off
- Data hold
- True RMS
- CAT III 600 V



2152-600

EAN-No. 4000896246762

€ 738.-

Mini battery cell tester with QR code function

- For 12 V systems in passenger cars, commercial vehicles, motorcycles as well as 12 V batteries
- Output of the analysis results on the display plus transfer of the results via QR code to smartphone / tablet
- Option to individualise the test results shared by QR code (number plate · repair workshop · tester · test date)
- Tests and detects defective cells in all types of starting batteries, including lead-acid batteries, AGM flat batteries, AGM spiral batteries, GEL batteries, start-stop batteries and rechargeable Li-ion batteries
- Does not require its own battery – constant operational readiness
- Analysis of batteries in accordance with most battery standards, such as CGA · BCI · CA · MCA · DIN · IEC · EN · SAE · GB
- Large lithium battery working range, e.g. according to CCA standard 20 – 1000 A
- Large lead-acid battery working range, e.g. to CCA standard 100 – 2000 A



Battery test
Starter test
Alternator test

4650-6

EAN-No. 4000896264629

€ 1,016.-



NEW!



Open-shoulder frame ensures free moving space – easy on the back and knees



Extra thick vinyl padding ensures longer, more comfortable working



4 smooth-running and robust swivel castors with ball bearings enable easy gliding



Fully welded heavy-duty frame for maximum stability in tough workshop use

Comfortable working on and underneath a vehicle!

Mechanic's creeper XXL

- Prevents direct contact with dirt, oil or cold on the workshop floor, increases safety and hygiene in the workshop
- 480 mm extra wide lying surface: 1.7 times wider than standard models
- Integrated armrest for relaxed working
- Dimensions: L x W x H: 1020 x 495 x 140 mm



195XXL-2
EAN-No. 4000896275991

€ 828.-

Mechanic's creeper

- Rigid one-piece construction made of high strength plastic, black
- 6 smooth-running swivel castors (Ø 70 mm) with rubber running surface, oil resistant and low-noise
- Ergonomically shaped: cut out arm areas for optimal elbow room
- Very comfortable: soft upholstered head rest, HAZET blue
- Practical tool trays and small parts areas, right and left
- Practical carrying handle in the foot area
- Easy to clean
- Dimensions: L x W x H: 1030 x 480 x 115 mm



Especially deep for maximum freedom of movement and comfort when working under the vehicle!

195N-2
EAN-No. 4000896252169

€ 783.-

Mechanic's creeper, foldable

- Combines creeper and seat
- High capacity up to 150 kg! (lying or sitting)
- 6 castors (Ø 63 mm)
- Quick and easy switch between both functions
- Cushioned reclined surface, lead part in HAZET blue
- Dimensions: Lying position L x W x H 1198 x 440 x 135 mm, seat height: 420 mm, seat base: 300 x 310 mm

Sturdy steel tube frame with 2.4 mm material thickness!



195N-3
EAN-No. 4000896256761

€ 658.-

Mechanic's mat

- 975 x 385 x 30 mm

195-5
EAN-No. 4000896153718

€ 278.-



Kneeling mat

- 450 x 210 x 30 mm

195-1
EAN-No. 4000896121069

€ 137.-



Pneumatic chair

- 5 low-noise, smooth-running castors with multiple bearings Ø 75 mm
- Large, extra thick cushion Ø 350 mm
- Easy to clean
- Capacity: dynamic capacity up to 150 kg
- Pneumatically adjustable in height: 430–550 mm
- Tool storage with practically divided compartments
- Provides a comfortable seat at the work area
- Tilt-resistant

195N-4
EAN-No. 4000896261949

€ 657.-

Particularly stable design thanks to square tubular frame



Magnetic pick-up tool

- Permanent magnet
- Flexible shank
- For easily picking up metal objects from installation spaces that are difficult to access
- Special design prevents unwanted rolling away
- Hanging hole in the handle keeps the workshop tidy



NEW SIZE!



Made in Germany

Two-coloured handle = three plastics:

1. Hardened core holds the lance extra-firmly in position
2. Soft component ensures very good grip even under difficult working conditions and with lubricating surfaces (oils, greases)
3. Hard component (very robust) gives the perfect shape, stability and a premium feel with every search operation

| HAZET No. | Length (mm) | Ø (mm) | ⤴ (g) | EAN-No. 4000896+ | ⌚* |
|-----------|-------------|--------|-------|------------------|-------|
| 1976N-3 | 300 | 3 | 300 | 279180 | 63.- |
| 1976-11 | 470 | 8 | 1100 | 273508 | 264.- |
| 1976-45 | 515 | 15 | 4500 | 273485 | 296.- |

Pressure sprayer

- Spraying with cleaning agents and disinfectants as well as for degreasing and lubrication
- Net volume: 1 l



199N-1
EAN-No. 4000896189007

⌚* 183.-

Pressure foam sprayer

- Three nozzles (in scope of delivery) for generating wet and dry foams as well as for implementing different reaction times
- Net volume: 0.75 l



199-3
EAN-No. 4000896207237

⌚* 239.-

Spray bottle, refillable

- Use with multi-purpose spray, such as e.g. penetrating oil, rust remover, as well as rim and brake cleaner
- Including 155 mm long jet nozzle and short spray nozzle
- Filling capacity: 0.23 l



199-4
EAN-No. 4000896198429

⌚* 373.-

High performance suction gun



- Filling capacity: 1 l
- Filling capacity: 500 ml

2162-6
EAN-No. 4000896174454

⌚* 254.-

2162-4
EAN-No. 4000896174850

⌚* 181.-

Magnetic holder

- Magnetic pull-off force: axial max. 18 kg




197-10
EAN-No. 4000896254392

⌚* 140.-

Magnetic button set 3

- Magnetic pull-off force: max. 3 kg
- Contents: 3x magnetic buttons



197-11/3
EAN-No. 4000896255191

⌚* 95.40

Magnetic cup

- Ø 150 mm



197-3
EAN-No. 4000896158584

⌚* 51.80

Magnetic holder

- Loading capacity: 10 kg
- Height: 400 mm
- Length: 140 mm



9070-10
EAN-No. 4000896158157

⌚* 266.-

Working gloves

- Very good freedom of movement and fit



1987N-4
EAN-No. 4000896203840

⌚* 32.40

Multifunctional drain pans

- Filling capacity: 6 l



197N-1
EAN-No. 4000896198924

⌚* 76.40

- Filling capacity: 16 l



197-2
EAN-No. 4000896146802

⌚* 194.-

- Filling capacity: 50 l



Made in Germany
197-50
EAN-No. 4000896210008

⌚* 347.-

* Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.

Telescopic inspection mirror set



- **4-piece set:**
 - Telescopic rod: 300–740 mm
 - Round mirror: \varnothing 30 mm and \varnothing 50 mm
 - Rectangular mirror: 65 x 43 mm

1977N-2/4
EAN-No. 4000896269525

€ 324.-

Dashboard protection set

- With handle



4852/4
EAN-No. 4000896210114

€ 354.-

- Straight: 270 x 200 mm, 450 x 300 mm
- Angled: 270 x 200 mm, 450 x 300 mm

Wedge, plastic

- For car body work, e.g. for loosening decorative strips, covers, graphics, etc. without damage
- Tip: 0.5 mm
- Dimensions: 190 x 30 x 25 mm



Made in Germany
1965-20
EAN-No. 4000896009183

€ 76.40

Combination lever

- Quick and easy loosening of the decorative strips and door panels
- Avoids damage to lacquered surfaces, plastic and metal parts
- Removal of protective caps and covers
- Dimensions: 270 x 22 mm



1965-21
EAN-No. 4000896087839


€ 60.20

Extractor hook

- Removal of e.g. trims · covers · plugs · fan nozzles · instrument panels · speedometers · instrument clusters inside the vehicle as well as on the car body
- High stability and flexibility despite small blade \varnothing of 2 mm
- Total length: 180.5 mm

Made in Germany
1965-22A
EAN-No. 4000896247448

€ 78.80



Universal hook / wedge set

- For universal use
- Plastic wedge: length: 214 mm, width: 26.5 mm
- Universal hook: length: 180 mm




1965/2
EAN-No. 4000896223008

€ 113.-

Impact universal joint sockets

- Hinge with 25° angular movement for use in spaces with restricted access and for getting around obstructive edges
- Short, space-saving design suitable for impact wrenches
- Particularly suitable for automotive applications, where space is limited, for chassis and brake repair, and in the engine compartment
- With borehole for locking pin or safety spring and groove for O-ring
- With traction profile
- Surface: burnished, oiled
- DIN 3121



12⁵ 1/2 20 3/4



1/2" Sets

- s 13 · 14 · 15 · 16 mm
- **Contents:**
 - 900SG-13
 - 900SG-14
 - 900SG-15
 - 900SG-16

12⁵ 1/2

4

12

Made in Germany
900SG-1316/4
EAN-No. 4000896272778

€ 869.-

- s 17 · 18 · 19 · 21 mm
- **Contents:**
 - 900SG-17
 - 900SG-18
 - 900SG-19
 - 900SG-21

12⁵ 1/2

4

12

Made in Germany
900SG-1721/4
EAN-No. 4000896272792

€ 900.-



3/4" Set

- s 22 mm and s 24 mm
- **Contents:**
 - 1000SG-22
 - 1000SG-24

20 3/4

2

12

Made in Germany
1000SG-2224/2
EAN-No. 4000896272815

€ 898.-



| HAZET No. | ■ | S mm | l mm | d ₁ mm | d ₂ mm | t mm | EAN-No. 4000896 + | € * |
|-----------|---------------------|------|------|-------------------|-------------------|------|-------------------|-------|
| 900SG-13 | 12 ⁵ 1/2 | 13 | 61.5 | 21 | 30 | 7.6 | 271863 | 224.- |
| 900SG-14 | 12 ⁵ 1/2 | 14 | 61.5 | 22.3 | 30 | 8.5 | 271887 | 224.- |
| 900SG-15 | 12 ⁵ 1/2 | 15 | 63 | 23.5 | 30 | 8.5 | 271900 | 224.- |
| 900SG-16 | 12 ⁵ 1/2 | 16 | 63 | 24.8 | 30 | 8.5 | 271924 | 224.- |
| 900SG-17 | 12 ⁵ 1/2 | 17 | 63 | 26 | 30 | 9 | 271948 | 232.- |
| 900SG-18 | 12 ⁵ 1/2 | 18 | 63 | 27.3 | 30 | 10 | 271962 | 232.- |
| 900SG-19 | 12 ⁵ 1/2 | 19 | 64.3 | 28.5 | 30 | 10 | 272006 | 232.- |
| 900SG-21 | 12 ⁵ 1/2 | 21 | 65.7 | 31.5 | 30 | 10 | 271986 | 232.- |

| HAZET No. | ■ | S mm | l mm | d ₁ mm | d ₂ mm | t mm | EAN-No. 4000896 + | € * |
|-----------|--------|------|------|-------------------|-------------------|------|-------------------|-------|
| 1000SG-22 | 20 3/4 | 22 | 90 | 37 | 44 | 11 | 271627 | 454.- |
| 1000SG-24 | 20 3/4 | 24 | 90 | 35 | 44 | 12 | 271641 | 454.- |





NEW!

Made in Germany

The new locking system in the quick-change adapter 1003S-2:

- Quick and easy changing of the operating tools
- No more external backup necessary
- Can be combined with more than 1,000 sockets

SIMPLE. FAST.

QUICK-CHANGE ADAPTER.



Now with locking ball




3/4" Impact adapter, quick coupler

- Output: 24 mm inside hexagon
- Length: 54 mm
- For impact operation
- Surface burnished / chrome-plated

Made in Germany
1003S-2
EAN-No. 4000896273584

€ 203.-



24 20 3/4" **NEW!**

Impact adapter, quick coupler set

Made in Germany
1003S/4
EAN-No. 4000896273904

€ 526.-



24 12 1/2 20 3/4 25 1" 4 **NEW!**

- Contents:**
- 1003S-2
 - 1003S-07K (1/2")
 - 1003S-08K (3/4")
 - 1003S-09K (1")

Impact socket set

Made in Germany
163-612/40
EAN-No. 4000896264704

€ 3,645.-

NEW!



24 24 40
20 3/4 12 1/2
1/2 S 24 mm
2/3+

Impact socket set

Made in Germany
163-570/24
EAN-No. 4000896233441

€ 2,295.-

NEW!



24 24 24
1/2 S 24 mm
20 3/4 12 1/2
1/3+

NEW! 20 3/4 12 1/2 1/2 S 24 mm 4

Made in Germany
1003S-7/4
EAN-No. 4000896280971

€ 328.-



3



Made in Germany
903SLG6/3
EAN-No. 4000896264643

€ 333.-

NEW! 11

Made in Germany
900SZ6/11
EAN-No. 4000896225378

€ 972.-



20 3/4

1/2 S 24 mm

NEW! 11

Made in Germany
990S/11
EAN-No. 4000896162406

€ 765.-



20 3/4

1/2 S 24 mm

NEW! 11

Made in Germany
985S/11
EAN-No. 4000896211951

€ 846.-



20 3/4

1/2 S 24 mm

NEW! 6

Made in Germany
995S6/6
EAN-No. 4000896264780

€ 747.-



12 1/2

1/2 S 24 mm

1/2" Impact socket, hexagon

- Double protection: Easy-to-rotate external plastic sleeve (replaceable) to protect the rims when screwing wheel bolts. Plus: Internal plastic insert to protect the surface of wheel bolts
- Length: 87 mm



s 17 mm
 Made in Germany
903SLG-17
 EAN-No. 4000896045822

€ 116.-



s 19 mm
 Made in Germany
903SLG-19
 EAN-No. 4000896045839

€ 119.-



s 21 mm
 Made in Germany
903SLG-21
 EAN-No. 4000896055135

€ 119.-



s 22 mm
 Made in Germany
903SLG-22
 EAN-No. 4000896155453

€ 149.-



- Extra long: 130 mm

s 17 mm
 Made in Germany
904SLG-17
 EAN-No. 4000896100576

€ 306.-



1/2" Sets

- 3 sockets each in a practical storage box



s 17 mm (3x)
 Made in Germany
903SLG-17/3
 EAN-No. 4000896191697

€ 268.-



s 19 mm (3x)
 Made in Germany
903SLG-19/3
 EAN-No. 4000896191734

€ 313.-



Top seller!
 s 17 mm · s 19 mm · s 21 mm
 Made in Germany
903SPC/3
 EAN-No. 4000896128754

€ 297.-

Special profile

- Length: 87 mm



s 17 mm
 • MERCEDES-BENZ
 Made in Germany
905SLG-17
 EAN-No. 4000896198795

€ 99.-



s 21 mm
 • KIA & HYUNDAI
 Made in Germany
905SLG-21
 EAN-No. 4000896201624

€ 108.-

Wheel hub grinder

- With 1/2" inside square socket
- For passenger car wheel hubs up to 160 mm Ø
- Inside diameter: 75 mm Ø



Attachment e.g. on pneumatic, cordless and corded impact wrenches



2-piece set:
 - 1 base unit
 - 1 grinding wheel Ø 160 mm

4960V-160/2
 EAN-No. 4000896218394

€ 500.-

Wheel hub grinder

- 11 mm outside hexagon with 3 contact surfaces
- For passenger car wheel hubs up to 160 mm Ø
- Inside diameter: 75 mm Ø



4-piece set:
 - 1 base unit
 - 3 grinding wheels Ø 160 mm

4960R-160/4
 EAN-No. 4000896218820

€ 752.-

Rim flange cleaner

- 11 mm outside hexagon with 3 contact surfaces
- For wheel centring diameter: at least 51 mm
- External diameter up to 160 mm Ø



2-piece set:
 - 1 base unit
 - 1 grinding wheel Ø 160 mm

4960F-160/2
 EAN-No. 4000896218387

€ 516.-

| HAZET No. | Ø | ■ | EAN-No. 4000896+ | €* |
|--------------|--------|---|------------------|-------|
| 4960V-0160/3 | 160 mm | 3 | 218813 | 702.- |

| HAZET No. | Ø | ■ | EAN-No. 4000896+ | €* |
|--------------|--------|---|------------------|-------|
| 4960R-0160/3 | 160 mm | 3 | 218790 | 675.- |

| HAZET No. | Ø | ■ | EAN-No. 4000896+ | €* |
|--------------|--------|---|------------------|-------|
| 4960F-0160/3 | 160 mm | 3 | 218806 | 747.- |

Tyre inflator

- Special rubber housing protects the precise manometer against light impacts
- Filling and measuring the tyre pressure
- Measuring tolerance class: 1.6 (± 0.192 bar)
- Manometer diameter: 63 mm
- Scale value in bar and psi
- Metal pressure gauge pointer for optimum readability
- Manometer measuring range: 0(0.2) - 12 bar / 0 (4) - 174 psi
- Graduation: bar (0.1) / psi (2)
- Handle with operating lever and lateral discharge knob (for one-hand use)
- Hose with plug-in nipple
- Hose length: 500 mm
- Max. pressure: 12 bar (174 psi)
- Integrated suspension hook in the handle
- Air inlet thread: 1/4" BSPT (F)
- Temperature range: -10 °C to +40 °C
- Housing made of durable POM material
- Incl. German air connection nipple with sealing ring (max. tightening torque 3.5 Nm)

NEW!

Precise manometer!



Flexible hose (length: 500 mm) with plug-in nipple

9041P-1
EAN-No. 4000896277285

€ 208.-

Tyre inflator

- Manometer measuring range: 0–12 bar, graduation: 0.1 bar
- Max. pressure: 12 bar
- Temperature range: -20 °C to 60 °C
- Hose with plug-in nipple
- Measuring tolerance: -15°C to 25°C, 0 – 4 bar: ±0.08 bar, from 4 – 12 bar: ±0.16 bar
- Hose length: 1,000 mm



Calibrated

Recalibration possible (not carried out by HAZET)



9041G-1
EAN-No. 4000896212385

€ 599.-

Tyre inflator, digital

- Manometer measuring range: 0–12 bar, graduation: 0.01 bar
- Max. pressure: 12 bar
- Temperature range: -20 °C to 50 °C
- Hose with plug-in nipple
- Measuring tolerance: -15°C to 25°C: ±0.1 bar
- Hose length: 400 mm



Digital




9041D-1
EAN-No. 4000896212378

€ 539.-

Calliper gauge for brake discs / thickness gauge

- Measurement without wheel removal
- Effortless measurement on the vehicle during direct receptions in the presence of the customer
- Measuring range: 0 – 60 mm
- Length: 395 mm



4956-3
EAN-No. 4000896219032

€ 301.-

Brake test tool set

- Checking the lateral run-out of the brake disc
- Micrometer screw for exact determination of the thickness of the brake disc
- Precision dial gauge for checking the lateral run-out
- Hinged bracket with magnetic base as mounting and for an exact positioning of the dial gauge on the vehicle



4968/3
EAN-No. 4000896149179

€ 1,097.-

Brake calliper file

- Blunt scraper on the face side for removing rough residues
- 12 mm wide



Made in Germany
4968-1

EAN-No. 4000896084739

€ 201.-



Brake calliper brush

- Removing stubborn brake dust and dirt from the disc brake calliper
- Length: 225 mm



Made in Germany
4968-2

EAN-No. 4000896084821

€ 64.80

Brass brake calliper brush

- Cleaning aluminium brake callipers
- Length: 225 mm



Made in Germany
4968-3

EAN-No. 4000896089147

€ 95.20

Hook set

- Hook Ø 7 mm
- Length: 190 mm



4968/2H
EAN-No. 4000896221820

€ 62.60



Brake bleeding adapter set, 10-piece

- Adapter set for brake fluid reservoir for brake fluid change
- For use on almost all vehicles together with conventional brake service devices
- For use on brake fluid reservoirs from model year 2001 for: **BMW · VW · AUDI · ŠKODA · SEAT · OPEL/VAUXHALL · MERCEDES-BENZ · ALFA ROMEO · BYD · MG · MINI · JEEP · LAND ROVER · MAZDA · NISSAN · HONDA · JAGUAR · PEUGEOT · PORSCHE · RENAULT · DACIA · TOYOTA · FORD · HYUNDAI · KIA · MITSUBISHI · CITROËN · INFINITI · SUBARU · BUICK · CHEVROLET · CADILLAC · CHRYSLER · DODGE · FIAT · LAMBORGHINI · MASERATI · RAM · GMC · TESLA · Volvo**
- Coupler plug: nominal size 7.2
- Extensive equipment enables use on various vehicle models
- Quick and easy installation
- Incl. universal adapter
- Adapter with partially 360° rotatable coupling plug
- Supplied in a case with operating instructions

NEW!

10



4969-3/10

EAN-No. 4000896277049

€ 2,259.-



Brake piston readjusting tool for single-piston and multi-piston brake callipers

- Damage-free readjusting brake pistons (floating callipers / fixed callipers) on disc brakes
- 2-in-1 device for 1-piston and multi-piston brake callipers
- For common vehicle types without integrated locking device for handbrakes
- Working range: 15 – 90 mm
- Plate size: 1: 94 x 50 x 12 mm
- Plate size: 2: 94 x 100 x 12 mm
- Avoids damage to boots and pistons
- High accuracy as well as high stability allow continuous use

Set of brake adapter plates for 6-piston brake callipers

- Plate size: 165 x 70 x 6 mm
- Magnetic trigger force: 2 kg



Made in Germany

4971-4

EAN-No. 4000896262922

€ 1,055.-



Made in Germany

4971-3/2

EAN-No. 4000896262908


€ 453.-

2-way air blow gun cone set

- For blowing out pipes, boreholes, etc. to form a seal
- Compressed air cleaning of clogged or dirty lines / hoses, e.g. fuel, air conditioning and AdBlue® lines, hydraulic lines as well as windscreen washer system and coolant lines
- Adaptable to 2-way air blow gun 9040-4 and 9040Lg-3/2 (long design)
- Loosening stuck ignition coil plugs (pneumatic inflation)
- Removal of pencil coils e.g. on 1.0 l · 1.0 l TSI · TFSI · TGI · GTI · CNG · 1.2 l TSI · 1.4 l-25 · 30 · 35 · 40 · 45 TSI · TFSI · TGI · CNG · GTE · Mild Hybrid · e-Hybrid-1.6l · 1.6 l SRE · MPI 2.0 l GTI engines
- **AUDI** A1 · A3 · A4 · A5 · Q2 · Q3
- **CUPRA** Formentor · León
- **SEAT** Alhambra · Arona · Ateca · Ibiza · León · Mii · Tarraco · Toledo
- **ŠKODA** Citigo · Fabia · Kamiq · Karoq · Kodiaq · Octavia · Rapid · Scala · Super · Yeti
- **VW** Caddy · Golf 6 → 8 · Jetta 4 → 7 · CC · Passat B8 · Polo 5, 6 · Arteon · Beetle · Taigo · Tiguan · Touran · T-Cross · T-Roc · Up! · Scirocco · Sharan · T7
- Coupler thread: 1/8" PF 28



For safe cleaning with compressed air for clogged or dirty pipes/hoses thanks to cone attachment up to \varnothing 35 mm



Stuck ignition coil plugs can be pneumatically inflated using the different cones, which leads to the loosening of the stuck area on the spark plug



- Contents:**
- ① Stainless steel extension 187 mm (9040-41)
 - ② Air blow gun with long nozzle
 - ③ Short nozzle
- Set of cone nozzles, 3-piece (9040-42/3):
- ④ Cone nozzle \varnothing 13 mm
 - ⑤ Cone nozzle \varnothing 35 mm
 - ⑥ Cone nozzle \varnothing 25 mm



9040-4/6
EAN-No. 4000896263660

€ 343.-

Cone set, 3 pieces

- Adaptable for air blow gun 9040-4



- Contents:**
- Cone nozzle \varnothing 13 mm
 - Cone nozzle \varnothing 35 mm
 - Cone nozzle \varnothing 25 mm

9040-42/3
EAN-No. 4000896254767

€ 130.-

Stainless steel extension

- Low-lying and stuck ignition coil plugs can be released with the cone set
- Coupler thread (inside and outside): 1/8" PF 28
- Length: 187 mm



9040-41
EAN-No. 4000896254781

€ 69.50

Exhaust pipe clamp pliers

- For quick opening and holding open of the reusable exhaust pipe clamps as well as for removal and installation
- The bolt and nut of the exhaust pipe clamp can remain in the clamp during work on the exhaust system thanks to the pliers design
- Application e.g. on: **CITROËN · PEUGEOT · DS · RENAULT · NISSAN · OPEL/VAUXHALL · ALFA ROMEO · FIAT · JEEP · CADILLAC · LANCIA · SUZUKI · CHEVROLET · BMW · MERCEDES-BENZ · LAND ROVER · FORD · DACIA · MAZDA · Volvo**
- Toothed fixing device and one-hand operation
- Fixing device is released by pressure lever
- Pliers tips enable secure hold of the clamp
- Length: 310 mm
- Clamping range: 50 mm



Made in Germany

4684-3
EAN-No. 4000896189205



€ 384.-

Pipe stopper set

- Sealing pipelines in brake systems, air conditioning systems, power steering and fuel systems that cannot be secured with a flexible hose clamp
- Sealing of pipes and preventing the escape of fluids
- Sealing in sizes of 6.3 mm (1/4") · 8 mm (5/16") · 10 mm (3/8") and for double sealing (e.g. banjo connections) in size 10 mm (3/8")




4591/4
EAN-No. 4000896219650

€ 127.-

Exhaust probe sockets

- Removal and installation of the lambda probe, particle sensor, NOX sensor and exhaust gas temperature sensor
- Double square drive 12.5 = 1/2"
- Additional hexagon drive
- Also suitable for closing the slot to avoid widening the opened hexagon
- Torque-controlled tightening possible
- Suitable for all passenger car and commercial vehicle models
- For manual operation
- Surface: phosphatized, oiled
- Dimensions: L 66 x H 39 mm
- Slot width: 8 mm



4680-10
s 20 mm
for Lambda probe/
particulate filter sensor
on e.g. IVECO Stralis,
S-Way

Robust design for seized exhaust probes!

Made in Germany

| HAZET No. | S mm | Double drive 1/2" or | EAN-No. 4000896+ | €* |
|-----------|------|--------------------------------------|------------------|-------|
| 4680-7 | 14 | Operation with hexagon drive s 24 mm | 254118 | 389.- |
| 4680-8 | 17 | Operation with hexagon drive s 24 mm | 254132 | 387.- |
| 4680-9 | 19 | Operation with hexagon drive s 24 mm | 254156 | 391.- |
| 4680-10 | 20 | Operation with hexagon drive s 24 mm | 267026 | 398.- |
| 4680-5 | 22 | Operation with hexagon drive s 30 mm | 057870 | 405.- |
| 4680-6 | 24 | Operation with hexagon drive s 30 mm | 252268 | 405.- |



Special tap for exhaust gas temperature sensors / probes

- Professional repair, cleaning or repairing of the mounting threads of the exhaust gas temperature sensors / probes
- Guide bolt prevents jamming of the thread repair tool, thereby enabling exact repair or cleaning of the sooty or damaged thread
- Time saving: replacement of the exhaust system is no longer necessary in most cases
- No tilting or jamming during repair
- 6 cutting surfaces for optimal fitting accuracy as well as easy and quick handling
- High-quality TiAlN coating for longer service life
- Suitable for application on stainless steel components
- Drive: s 13 mm



Made in Germany

Thread size: M12 x 1.25

- For exhaust gas temperature sensors on: NISSAN · RENAULT · BMW · MINI · CITROËN · PEUGEOT · FORD · HYUNDAI · KIA · DACIA · MERCEDES-BENZ · OPEL · VAUXHALL · SUZUKI · IVECO
- Length: 55 mm

4683-12
EAN-No. 4000896253555



€* 266.-

Thread size: M14 x 1.5

- For exhaust gas temperature sensors on: MERCEDES-BENZ · AUDI · PORSCHE · SEAT · ŠKODA · VW · FIAT · ALFA ROMEO · LANCIA · OPEL/VAUXHALL
- Length: 45 mm

4683-14
EAN-No. 4000896253579



€* 287.-

Thread size: M16 x 1.5

- For exhaust gas temperature sensors on: MERCEDES-BENZ Trucks, Bus · DAF Commercial Vehicles ACTROS · AXOR · ATEGO · MB Bus O 500 BM382 · DAF CF 65 · DAF CF 75 · DAF CF 85 · DAF CF 105
- Length: 43 mm

4683-16
EAN-No. 4000896253593



€* 324.-

Thread size: M18 x 1.5

- For Lambda probes on: MERCEDES-BENZ · AUDI · PORSCHE · SEAT · ŠKODA · VW · FIAT · ALFA ROMEO · LANCIA · BMW · OPEL/VAUXHALL · CHEVROLET · DAEWOO · SUZUKI · FORD · HONDA · TOYOTA · NISSAN · Volvo · CITROËN · SAAB · SUBARU · MAZDA · MINI · MITSUBISHI · JAGUAR · ROLLS ROYCE · BENTLEY · LEXUS · PONTIAC · IVECO
- Length: 42 mm

4683-18
EAN-No. 4000896253616



€* 364.-

Thread size: M20 x 1.5

- For NOX sensors on: DAF · MERCEDES-BENZ TRUCKS · IVECO · MAN · SCANIA · RENAULT TRUCKS · Volvo TRUCKS
- Also suitable for passenger car models where a NOX sensor or particulate filter sensor with thread M20 x 1.5 is installed. e.g. BMW · AUDI · VW · OPEL/VAUXHALL · MERCEDES-BENZ
- Length: 50 mm

4683-20
EAN-No. 4000896253630



€* 424.-

Thread size M22 x 1.5

- For particle sensors on: AUDI · VW · PORSCHE · OPEL/VAUXHALL · MERCEDES-BENZ · BMW · GENERAL MOTORS · MAN
- Length: 50 mm

4683-22
EAN-No. 4000896253654



€* 514.-

Tool set for exhaust probes

10-piece set:

- Special taps: 4683-12, 4683-14, 4683-18, 4683-20, 4683-22
- Exhaust probe sockets: 4680-5, 4680-6, 4680-7, 4680-8, 4680-9

Made in Germany


163-611/10
EAN-No. 4000896257294

€* 3,760.-



For commercial vehicle applications!

4683-16 Optionally available



10

Optionally available:
Toolbox for safe storage



| HAZET No. | EAN-No. 4000896+ | €* |
|-----------|------------------|-------|
| 165-L | 167777 | 198.- |

3/8" Injection line wrench

10 3/8"

- Very narrow diameter s 14 mm Ø 19.5 mm, s 17 mm Ø 23 mm, s 18 mm Ø 24.4 mm
- Operation of the union nut on the high-pressure line on the injection valve for the common rail injection system
- Proper operation of the injection line screw connection
- Also suitable for operating other line fittings with s 14 mm, s 17 and s 18 mm



Set

2

Contents:

- 4550-17, s 17 mm
- 4550-18, s 18 mm

Made in Germany

4550-1718/2

EAN-No. 4000896264308

€ 373.-



Made in Germany

4550-14A

EAN-No. 4000896277100

€ 119.-



For fuel lines on e.g. BMW vehicles with N55 engine

NEW!

Operating tool for fixing nut on spring strut, MERCEDES-BENZ

125 1/2"

- Optimally matched operating tool (space conditions, loosening and tightening torques). Pay attention to the vehicle manufacturer's specifications
- Operation of the fixing nut for the spring strut on the **MERCEDES-BENZ** Sprinter Type 910 (with front-wheel drive) from model year 2018 → and E-Sprinter from model year 2020 →
- Output: s 106 mm
- Outside diameter: 151 mm
- Height: 49 mm



Made in Germany

2710-105

EAN-No. 4000896262946

€ 325.-



3/8" Releasing tool for cover of coolant expansion tank, VAG

- Problem-free loosening of very tight covers on the **VAG** coolant expansion tank
- Exact fit of releasing tool avoids damage to the cover
- Narrow outer diameter and angled bracket – Optimised design of the releasing tool for very special installation conditions of the coolant expansion tank on the **VW** ID.Buzz model year 2022→, which is difficult to reach in its installation position in the front area
- For **VW** and Group vehicles as well as electric and hybrid models (MQB platform model year 2013→)
- Height: 35 mm
- Diameter: 92 mm



The original is blue!

Made in Germany

4803-2

EAN-No. 4000896262885

€ 153.-



Unlocking tool for VAG plug connections

- Damage-free unlocking of electrical plug connections on various components and sensors
- **VAG** group plug connections, e.g. injectors, rail pressure sensors, fluid level sensors, ignition coils, vacuum sensors, brake wear sensors, pressure regulators and lighting systems
- **SCANIA** · **MAN** TGE / TGX from model year 2020



• Head offset: 20 mm

Made in Germany

| HAZET No. | Length mm | EAN-No. 4000896+ | € |
|-----------|-----------|------------------|-------|
| 4675-1 | 130 | 244331 | 160.- |
| 4675-2 | 191 | 244348 | 160.- |

Extra-long blade, curved at the head allows access to hard-to-reach places!

1/4" Screwdriver joint socket XZN

6.3 1/4"

- Operation of the fastening screws of the 4/2 way valve with coolant regulator (note: coolant regulator is located inside the coolant pipe and cannot be renewed individually)
- With hinge for use in hard-to-reach places and to bypass interfering edges: fastening screws are located behind the oil filter and cannot be reached in a straight line
- Application e.g. on: 4-cylinder diesel engine (2.0 l common-rail): **AUDI** · **SEAT** · **ŠKODA** · **VW**
- Output: internal serration profile XZN M8



Made in Germany

2548G-XZN8

EAN-No. 4000896252701

€ 177.-

Detailed information



Pneumatic injector extractor

- For removing stuck diesel injectors
- 21 different adapters and a universal claw can be used to gently loosen stuck diesel injectors without much effort. Depending on the injector version, the piezo element must be removed for this purpose
- This prevents damage to the cylinder head/cylinder head cover due to high forces from supports

24-piece set, contents:

- Pneumatic diesel injector extractor
- Extension for deep-seated injectors or installed installation spaces
- Universal claw
- 21 adapters:
 - M17 x P1.0 for **BOSCH** 110
 - M18 x P 0.75 for **BOSCH** 120, M20 x P 1.0 for **DENSO / A**
 - Adapter with inside thread M12 x P 1.5 / outside thread M20 x P 1.5
 - M14 x P1.5 for **DELPHI**
 - M16 x P1.0 for **TOYOTA**
 - M18 x P1.5, M8 x P1.0, M8 x P1.25, M10 x P1.0 **Universal adapter**
 - M14 x P1.5, M14 x P1.0, M25 x P0.5 for **DENSO**
 - M25 x P1.0 for **SIEMENS**
 - M27 x P0.75 for **BOSCH / FIAT / BMW / PSA / MERCEDES / RENAULT**
 - M27 x P1.0 for complete thread for **SIEMENS**
 - M29 x P1.0 for **DELPHI**
 - M31 x P0.75 for **BOSCH CRIN 1**
 - M26 x P0.75 for **BOSCH CRIN 2**

24



9098/24
EAN-No. 4000896258086

€ 1,977.-



Injector adapter set, 4-piece

- Adapters are used when the injector claw cannot be used, either because of the vehicle type or because of a lack of space
- Thread sizes: outside thread M25x1 • outside thread M16x1 • outside thread M27x1 • inside thread M25x0.75

Contents:

- **9098-B7** (outside thread M25x1; inside thread M14x1.5) for **SIEMENS, SIEMENS-VDO (CONTINENTAL)** injectors e.g. **PSA • VW • AUDI • SEAT • ŠKODA**
- **9098-C6** (outside thread M16x1.0; inside thread M14x1.5) for **DENSO** injectors e.g. **TOYOTA • LEXUS RENAULT • OPEL/VAUXHALL**
- **9098-B8** (outside thread M27x1.0; inside thread M14x1.5) for **SIEMENS, SIEMENS-VDO (CONTINENTAL)** e.g. **PSA • FIAT • PEUGEOT • CITROËN • MERCEDES-BENZ**
- **9098-D7** (inside thread M25x0.75; inside thread M14x1.5) for **DENSO** injectors e.g. **TOYOTA • LEXUS • FIAT • PSA**



Made in Germany
9098/4
EAN-No. 4000896277728

€ 306.-

NEW!

- Extension for compressed air injector sliding hammer 9098/24
- For disassembly of tight common rail injectors without removing the cylinder head

Injector removal adapter

- Adapter for dismantling injectors on: **VAG** vehicles with 1.6 and 2.0 I TDI engines from 2004 **FORD** EcoBlue 2.0 engines from model year 2022 2.0 I diesel



Made in Germany
9098-H3
EAN-No. 4000896277827

€ 239.-

NEW!

- For common-rail injectors of **VAG/ FORD** engines
- For **BOSCH** (piezo and magnetic types) • **DELPHI • DENSO • VDO** injectors
- Drive lateral, inside thread: M14x1.5
- Output inside thread: M14x1.5
- Fixing screw hexagon: s 17 mm • Ø 21.8 mm
- Length: 70 mm

Injector ball joint adapter

- Ball joint adapter enables the sliding hammer to be used even where installation space is limited by bypassing interfering components and flexibly deflecting the direction of impact by up to 20° to the side
- Drive: M14x1.5
- Output: M14x1.5
- Angular movement: up to 20°
- Diameter: 35 mm
- Length: 69 mm
- Wrench size: s 32 mm




Made in Germany
9098-F2
EAN-No. 4000896278725

€ 194.-

NEW!

Injector adapter

- Adapter enables use of HAZET injector claws 4797-2 and 4797-9 as well as external adapter 4797-3 with HAZET compressed air injector extractor 9098/24
- Drive inside thread: M14x1.5
- Output outside thread: M16x1.5
- Outside hexagon: s 22 mm
- Length: 42 mm



Made in Germany
9098-F3
EAN-No. 4000896277629

€ 55.40

NEW!



Adapter set for clamping screw on VW / AUDI multi-link axle

- Removal of the clamping screw on **VW/AUDI** multi-link axles possible without effort
- If space permits, the HAZET compressed air **injector extractor set 9098/24** can be used to remove the screw on the **VW/AUDI** multi-link axle
- For **AUDI A4/A6/Q5/Q7** (all model years)
- **VW** Passat 3B (from 1996 → 2001), **VW** Touareg from 2010 to today
- Compatible with all four-link axles (except **AUDI A6/ 4F** series 2004 → 2008)

Contents:

- **9098-F4**
 - Length: 40 mm, width: 30 mm, opening / fork width: 12 mm
- **9098-F5**
 - Drive inside thread: M14x1.5, outside s 22 mm
 - Output inside thread: M10x1.5, \varnothing 17 mm
 - Surface: burnished



Made in Germany
9098-F45/3
 EAN-No. 4000896277704



€ 126.-

3 **NEW!**



Universal spreader



- Universal application due to wide spreading range 5 – 11.5 mm
- Expansion of the spring strut and ball joint mounting (separating the spring strut from the wheel bearing housing)
- Optimised end stops with inspection window
- Drive with 1/4" holder for overload protection
- For manual operation
- Dimensions: L 60 x H 30 x D 24 mm



Large spreading range 5 – 11.5 mm



Top Seller!



Made in Germany
4912-5N
 EAN-No. 4000896249312

€ 358.-

1/2" Special screwdriver socket set

- Operation of wheel bearing screw connection in the aluminium housing on **AUDI** and **VW** vehicles as well as **SEAT** and **ŠKODA**
- Enables loosening of the wheel bearing bolts without removing the drive shaft and ball joint – time saving: approx. 35 min.
- Taper on the shaft allows it to get past the drive shaft joint
- Ideal for confined spaces
- Blade with TiN coating
- 2 lengths available for 4-link axle and McPherson spring struts
- Output: internal serration profile XZN M12
- For manual operation

12 1/2

2

TiN



| 2584k-12, short | | | 2584l-12, long | | |
|-----------------|-------|-----|----------------|-------|-----|
| l_1 | l_2 | d | l_1 | l_2 | d |
| 41 | 74 | 23 | 81 | 114 | 23 |

2584k-12, short design



2584l-12, long design



Made in Germany
2584-12/2
 EAN-No. 4000896252640

€ 333.-

3/8" Drive shaft screwdriver socket

- Actuation of the stub shaft on **AUDI** and **VW** vehicles as well as **SEAT** and **ŠKODA**
- Loosening and tightening of the fastening screws on the heat protection plate when removing the drive shaft
- Universal use for deep screw connections
- Can also be used for gearbox repair
- Torque-controlled screw tightening, e.g. with HAZET 5110-3CT possible (Please follow the manufacturer's specifications)
- Extra long design
- Output: inside hexagon profile
- For manual operation

10 3/8



| l_1 | l_2 | d |
|-------|-------|-----|
| 332 | 359 | 19 |

Made in Germany
2584LG-1A
 EAN-No. 4000896252817

€ 155.-

* Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
 Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.



Universal inside spring vice set

- Installation and removal of the coil spring on the rear axle
- Pendulum hexagonal head for equal force distribution with integrated anti-rotation protection for upper tensioning jaws
- One-sided counterholder for the spindle made possible by hexagon on top, e.g. with combination wrench HAZET 600 N-13
- Removal and installation of springs with small coil pitch, e.g. for MINI Cooper S (third generation), VW Passat (B8)
- Extension of the span to 120 mm and an increase of the maximum load for increasing vehicle weights (electric and hybrid vehicles), for safe working up to 31,000 N → Tested with at least four-fold safety against breakage (GS mark of tested safety)
- 17° swivel angle of the tensioning jaws now ensures the removal of C-shaped (bent) springs, e.g. on AUDI A4 (B9), VW Golf 7
- Internal and external guidance of the tensioning jaws prevents the spring from sliding out
- All tensioning jaws included, reusable, replaceable plastic protective pads

6-piece set, contents:

- 1 inside spring vice 4904-1
- 1 tensioning jaw 4904-10 · span 64 – 115 mm
- 1 tensioning jaw 4904-11 · span 64 – 115 mm
- 1 tensioning jaw 4904-12 · span 79.5 – 133 mm
- 1 tensioning jaw 4904-13 · span 79.5 – 133 mm
- 1 tubular box wrench 4902-224 · s 24 mm



Made in Germany


4904/6

EAN-No. 4000896238897

€ 3,295.-



Only 202 mm long!



Universal application on almost all passenger cars!



Highlights:


- Easy handling for just one user
- Eliminates time-consuming work associated with most spring removal:
 - Removal of axle parts unnecessary
 - Axle alignment no longer necessary
 - Removal and installation possible in just a few minutes on each side
- Conclusion: Compact design enables spring replacement with remarkable time savings



Support device

- Prevents unwanted raising of the suspension during the spring tensioning process
- Can be used on almost all vehicles – helpful on vehicles with multi-link axle
- Protective pads prevent damage to the vehicle parts
- Facilitates removal of rear axle springs
- Safety: visual chain provides a reminder for tool removal
- Use together with universal inside spring vice set 4904/6
- Clamping range: 80 – 127 mm
- Pressure piece diameter: 30 mm
- Chain length: 750 mm

Supplement to 4904/6



Made in Germany

4912-6

EAN-No. 4000896238835

€ 308.-



Stationary universal spring vice set

Innovative mounting and installation concept

- Swivelling in horizontal or vertical working position
- HAZET recommendation for ergonomic working height: adjust vertically, operate horizontally
- Damage to shock absorbers and head plates impossible (no overload risk)
- Simple, lockable strut mount

High safety

- Consistently reliable mounting of head plates
- Thread damage to piston rod impossible
- Permanent fixation of spring throughout operation

Secure investment by using existing components of SYSTEM 4900

- Existing basic units 4900-2 A and all tensioning jaws of System 4900 may be used
- Use of future applications is assured

Allows record keeping by scaling

- If recurring, significant time savings by scaling
- Firm fixation eliminates readjustment at the same spring strut (left/right)

4 pieces, contents:


- Safety spring vice, basic unit 4900-2A
- Base support 4903-1
- Universal clamping disc, adjustable 4903-2
- Universal tensioning jaw 4903-3, adjustable, including safety adapter



4

4 steps to success

- Mount strut on clamping disc above gripper and spring-loaded brake
- Grip spring with universal tensioning jaw
- Operate the spring vice with reversible ratchet, cordless screwdriver or air ratchet
- Remove shock absorber load-free and install new one (then reverse order)



4903/4



4903/4 (W203)



Made in Germany

4903/4

EAN-No. 4000896180561

€ 20,481.-

Safety spring vice set

- Installing and removing the coil spring when replacing shock absorbers
- Suitable for impact wrenches
- Suitable for around 100 different vehicle types
- Closed system – maintenance-free
- Variable system thanks to easily replaceable tensioning jaws
- Location bar for machinist's vice
- Maximum span: 309 mm

5 pieces, contents:

- Base support 4900-2A
- 2 tensioning jaws 4900-11
- 2 tensioning jaws 4900-12



Made in Germany

4900-2A/5

EAN-No. 4000896086054

€ 8,339.-



Tool finder



5

Shock absorber tool set

- Repair work in the spring strut e.g. shock absorber, strut mounting, coil spring
- Retaining the piston rod when removing and installing the spring strut
- Attention: Follow vehicle manufacturer's specifications concerning torque tightening values
- Use with torque wrench e.g. HAZET 6291-1 CT together with insert box-end wrench 6630D-21
- Application of an impact wrench may damage the thrust bearing and the piston rod
- For manual operation



15

Made in Germany

4915/15

EAN-No. 4000896179213

€ 1,980.-



12-piece cordless tool set



+
FREE!
Service trolley
167-3S



Detailed information

13

167-3S/13
EAN-No. 4000896273263


8,863.-

Assistent
Made in Germany
167-3S

Incentive 167-3S promotion price, single:
€ 1,831.- net plus VAT.



Your HAZET specialist dealer:



4 000896 280018
SWM26/EN/L/9 1.02.2026 / .5 JK/MD

Copyright 2026 ©
HAZET-WERK Hermann Zerver GmbH & Co. KG
Güldenwerther Bahnhofstraße 25-29,
D-42857 Remscheid, Germany

*Recommended promotion prices excl. VAT – Prices valid from 1 March 2026 until 28 February 2027 at the latest
Prices are subject to change before 28 February 2027 in the event of increased purchase or production costs – errors excepted.