




► **AIRTOOLS**

SILENT YET POWERFUL, POWERFUL YET LIGHTWEIGHT, LIGHTWEIGHT YET DURABLE

Generations of proud professionals have developed their skills together with Bahco tools since 1886 and already in the middle of last century Bahco has been synonymous with high quality air tools.


We are proud to present a strong comeback in the air tools business with a range of unique products. A range that incorporates Bahco's spirit of innovation and unrelenting quality. A range of silent yet powerful, powerful yet lightweight, lightweight yet durable tools, designed for high demands, from the toughest job to the most accurate precision job, from the smallest car to the largest truck.

In other words a complete range of professional air tools for everyday use!



BAHCO - THE CHOICE OF TRUE PROFESSIONALS

► AIR TOOL ICONS



► BAHCO AIR TOOLS SPECIAL FEATURES

FAST AND EASY!



► TRUE ONE HAND DIRECTION AND POWER CONTROL KNOB

- Easy to change direction with one hand
- Easy to change power output with one hand

					
BP4016	Impact wrench 3/8"	BP4014	Mini impact wrench 1/2"	BP4015	Impact wrench 1/2"

DURABLE AND LIGHTWEIGHT!



► ONE PIECE MAGNESIUM HOUSING

Atomic number 12 (Magnesium) is prized for its lightness and strength. Its ions are essential to all living cells and the 11th most abundant element in the earth's crust.

- Significantly lower weight
- Significantly increased durability

					
BP4016	Impact wrench 3/8"	BP4014	Mini impact wrench 1/2"	BP4015	Impact wrench 1/2"

SILENT AND LIGHTWEIGHT!



► COMPOSITE HOUSING AND HEXAGONAL RUBBER SLEEVE

- Significantly lower weight
- Significantly lower sound pressure
- Significantly lower vibration levels
- Great insulation against cold air
- User friendly grip

					
BP4016	Impact wrench 3/8"	BP4014	Reinforcing sleeve	BP4015	Reversible end 13 mm
BP4016	Impact wrench 1/2"	BP4017	Reinforcing sleeve 13 mm	BP4018	Ratchet 3/8"
BP4017	Impact wrench 3/4"	BP4018	Reinforcing sleeve 13 mm	BP4019	Ratchet 1/2"
BP4018	9" Disc grinder	BP4019	Reversible screwdriver 1/8" (1/16")	BP4020	Mini grinder
BP4019	Cut-off tool	BP4020	Reversible screwdriver 3/16" (1/8")	BP4021	Angle grinder
BP4020	Impact wrench 1/2"	BP4021	Low Reversible Grinder	BP4022	Extended die grinder

POWERFUL DURABILITY!



► TWIN HAMMER MECHANISM

- Reliable system for continuous torque increase with two hammers
- Resistant to air pressure fluctuations
- Consisting of surprisingly few parts
- Easy lubrication from the outside without dismantling the housing

			
BP414	Impact wrench 1/2"	BP416	Mini impact wrench 1/2"
BP416	Impact wrench 3/8"	BP417	Long and impact wrench
BP418	Impact wrench 1/2"	BP420	Impact wrench 1/2"

THE CHOICE IS YOURS! EXTRA POWERFUL & SILENT or EXTRA SILENT & POWERFUL!



► EXCHANGEABLE MUFFLER SYSTEM

- Adapt the performance of the tool after your demands!
- Attach either one or two of the included optional mufflers and decrease the sound level remarkably with just a nominal power loss

					
BP4021	Ratchet 1/2"	BP4022	Mini impact wrench 1/2"	BP4023	Impact wrench 1/2"
BP4024	Impact wrench 3/8"	BP4025	Mini impact wrench 1/2"	BP4026	Impact wrench 1/2"

SMOOTH OPERATION!



► SWIVEL CONNECTION

- Allows the air hose to follow the tool naturally
- Higher comfort when operating

					
BP116	Impact wrench 3/8"	BP520	Ratchet 3/8"	BP115	Angle grinder
BP118	Impact wrench 1/2"	BP522	Mini grinder	BP524	Reciprocating saw
BP114	Impact wrench 1/2"	BP110	Cut-off tool	BP525	Extended die grinder
BP521	Ratchet 1/2"				

A FAMILY WITH ATTITUDE!

EXTREME POWER!

The 8 VANES TWIN HAMMER mechanism delivers maximum power at minimum air consumption in no time



MAINTENANCE FREE!

We know you DON'T have time to lubricate your gun. Now you DON'T have to feel guilty about it because you DON'T NEED TO DO IT!

The exceptional OIL BATH lubrication system with high grade synthetic racing oil ensures a MAINTENANCE FREE TOOL and LONG LIFETIME

SMART DESIGN

Flat rubber covered top ensures a stable grip. Supplied with a black vinyl protection boot

CLUMSY?

No worries! The well balanced ONE PIECE MAGNESIUM HOUSING ensures extreme durability



CONFUSED? FORWARD? REVERSE? MAX? MIN?

Change DIRECTION and POWER output in 1 SECOND with ONE HAND! No need to WASTE TIME by USING TWO HANDS any more



EXTRA SILENT & POWERFUL or EXTRA POWERFUL & SILENT?

The system with optional mufflers gives YOU the CHOICE to quickly adapt the tool to YOUR DEMANDS and needs! Use 0, 1 or 2 of the included mufflers! With no muffler the power is maximized, with 2 mufflers the sound is minimized

IMPACT WRENCH 1/2"



THE CHOICE IS YOURS!

Muffler	~ Nm	% Nm	~ dB(A)	% dB(A)
0	1098 Nm		102.5 dB(A)	
1	1015 Nm	-7.8%	92.5 dB(A)	-31.6%
2	935 Nm	-14.9%	86.8 dB(A)	-42.3%

BPW15 100x250x250 10 1098 013 0.800 5.125 5.1 170 1.4 10 2.20

MINI IMPACT WRENCH 1/2"



IMPACT WRENCH 3/8"



THE CHOICE IS YOURS!

Muffler	~ Nm	% Nm	~ dB(A)	% dB(A)
0	440 Nm		99.1 dB(A)	
1	414 Nm	-6%	90.3 dB(A)	-27.5%

BPW14 100x250x200 12 440 300 10.700 5.96.5 4.54 68 14 10 1.30

BPW16 100x250x200 3/8 440 300 10.700 5.99.1 4.5 68 14 10 1.30

All technical specifications are stated at the recommended working pressure of 6.2 bar

POWERFUL YET LIGHTWEIGHT!

▶ MINI IMPACT WRENCH 1/2"



- Composite housing
- Twin hammer mechanism
- Air exhaust in handle
- Swivel connection

BP14 60x187x195 1/2 410 220-360 10.000 88 6.53 85 14 10 1.30

BP14 merely 1.2 kg and striking a maximum torque of 410 Nm in reverse

▶ IMPACT WRENCH 3/8"



- Composite housing
- Twin hammer mechanism
- Air exhaust in handle
- Swivel connection

BP16 60x187x195 3/8 410 220-360 10.000 88 6.53 85 14 10 1.30

▶ 3/8" IMPACT WRENCH SET



Includes:

- One BP16
- Eleven impact sockets: 10, 11, 12, 13, 14, 15, 17, 19, 21, 22, and 24mm
- One 1/4" threaded male coupler
- Supplied in robust plastic case with foam inlay (compatible with Bahco tool trolley modular system, T12)

BP16K1 100x271x321 10-34 1.20

All technical specifications are stated at the recommended working pressure of 6.2 bar

► IMPACT WRENCH 1/2"



- Composite housing
- Twin hammer mechanism
- Air exhaust in handle
- Swivel connection

BP815	35x215x210	12	825	325-420	7.000	54	5.00	130	1/4	10	1.95
-------	------------	----	-----	---------	-------	----	------	-----	-----	----	------

► 1/2" IMPACT WRENCH SET



Includes:

- One BP815
- Eleven impact sockets: 10, 11, 12, 13, 14, 15, 17, 19, 21, 22, and 24mm
- One 1/4" threaded male coupler
- Supplied in robust plastic case with foam inlay (compatible with Bahco tool trolley modular system, T12)

BP815K1	108x371x321	1	10-24	3,20							
---------	-------------	---	-------	------	--	--	--	--	--	--	--

FOR THE LARGE ONES!

► IMPACT WRENCH 3/4"



- Composite housing
- Twin hammer mechanism
- Air exhaust in handle

BP817	100x290x250	3/4	1.800	340-650	4.500	88	4.30	190	3/8	10	3.95
-------	-------------	-----	-------	---------	-------	----	------	-----	-----	----	------



BP900L impressive 2.800 Nm!



All technical specifications are stated at the recommended working pressure of 6.2 bar

► EXTRA POWERFUL IMPACT WRENCH 1"



- Extremely powerful
- Air exhaust in handle
- Pin clutch mechanism

BP405	115x335x285	1	3.790	813-1.896	4.000	92	5.10	235	1/2	13	11.80
-------	-------------	---	-------	-----------	-------	----	------	-----	-----	----	-------

► IMPACT WRENCH 1"



- Heavy duty model
- Twin hammer mechanism
- 2" anvil
- Air exhaust in handle
- Power control in both directions

BP900	260x725x390	1	2.800	1.200-2.700	3.900	99	11.60	1.640	1/2	13	12.0
-------	-------------	---	-------	-------------	-------	----	-------	-------	-----	----	------

► LONG ANVIL IMPACT WRENCH 1"



- Heavy duty model
- Twin hammer mechanism
- 6" anvil for great accessibility
- Air exhaust in handle
- Power control in both directions

BP900L	260x725x390	1	2.800	1.200-2.700	3.900	99	11.50	1.840	1/2	13	12.50
--------	-------------	---	-------	-------------	-------	----	-------	-------	-----	----	-------

► RATCHET 1/4"



- Speed control system for accurate operation
- Extra compact

BP700	45x210x75	1/4	164	0-30	300	94	3.80	65	1/4	10	0.50
-------	-----------	-----	-----	------	-----	----	------	----	-----	----	------

► RATCHET 3/8"



- Speed control system for accurate operation
- Hexagonal rubber sleeve
- Air exhaust control system
- Swivel connection

BP820	65x235x80	3/8	201	0-67	270	80	2.6	120	1/4	10	1.20
-------	-----------	-----	-----	------	-----	----	-----	-----	-----	----	------

► RATCHET 1/2"



- Speed control system for accurate operation
- Hexagonal rubber sleeve
- Air exhaust control system
- Swivel connection

BP821	56x280x85	1/2	260	0-67	150	80	2.60	120	1/4	10	1.20
-------	-----------	-----	-----	------	-----	----	------	-----	-----	----	------

All technical specifications are stated at the recommended working pressure of 6.2 bar

THE LONG & STRONG!

EASY TO HANDLE!
Balanced lightweight house for superior control and comfortable usage

COMFORTABLE TO HANDLE!
Soft grip handle with increased comfort, reduced vibration, and increased insulation against cold

HEAVY WORK LOAD?
No worries! The "stop lock" pins prevent ratchet pawl lock up and assures increased tool life

EXTRA SILENT & POWERFUL or EXTRA POWERFUL & SILENT?
The muffler bypass system gives YOU the choice to quickly adapt the tool to YOUR DEMANDS and needs!

BP021	75x200x60	308	1/2	7.45	300	≤94.9	≤5.2	127	1/4	10	1.35
-------	-----------	-----	-----	------	-----	-------	------	-----	-----	----	------

MUFFLER BYPASS SYSTEM					
Muffler	Power (Nm)	Speed (RPM)	Sound (dB(A))	Vibration (m/s²)	Weight (kg)
On	95 Nm	100	94.9 dB(A)	0.5	1.35
Off	67 Nm	~30%	87.9 dB(A)	~22%	1.35

▶ MINI RATCHET 1/4"



- Soft grip handle
- Hard coated motor plates
- Large lightweight selector knob
- All ball bearing construction and high strength alloy steel gear system
- Supplied with a black protection boot

BP019	50x285x100	198	1/4	0-47	235	94	2.5	40	1/4	10	0.55
-------	------------	-----	-----	------	-----	----	-----	----	-----	----	------

▶ MINI RATCHET 3/8"



- Balanced lightweight housing
- Soft grip handle
- Hard coated motor plates
- Large lightweight selector knob
- All ball bearing construction and high strength alloy steel gear system
- Supplied with a black protection boot

BP020	50x285x100	198	3/8	0-47	235	94	2.5	40	3/8	10	0.55
-------	------------	-----	-----	------	-----	----	-----	----	-----	----	------

WHEN ACCESSIBILITY & POWER IS CRUCIAL



The long & strong! 308 mm long, 95 Nm strong!

All technical specifications are stated at the recommended working pressure of 6.2 bar

THE PRECISE!

EASY TO HANDLE
Top mounted forward / reverse switch allowing one hand operation for easy usage

CLEVER DESIGN
User friendly design with forefinger support increases the precision in all drilling

COMFORTABLE TO HANDLE
Soft grip handle ensures a great working day

ALSO A PERFECTIONIST?
Precise 0.0635 mm CHUCK RUNOUT for precision drilling yielding a high quality job. ALWAYS!

IN A HURRY?
The 0.45 HP motor with 5 vanes provides MAXIMUM DRILLING POWER to get the job done faster

NEED FOR CONTROL?
REVERSIBLE VARIABLE SPEED TRIGGER for increased control of drilling speed

▶ HIGH PRECISION DRILL 13 mm



- Top mounted forward / reverse switch
- Internal ball bearing construction
- Supplied with integrated support handle and drill container

BP025	225	13	336	450	0-34	80	<2.50	108	1/4	10	1.30
-------	-----	----	-----	-----	------	----	-------	-----	-----	----	------

▶ HIGH PRECISION DRILL 10 mm



- Top mounted forward / reverse switch
- Internal ball bearing construction

BP025	178	10	336	2,500	0-4.0	80	<2.50	108	1/4	10	1.0
-------	-----	----	-----	-------	-------	----	-------	-----	-----	----	-----

▶ REVERSIBLE DRILL 13 mm



- Composite housing
- Removable and adjustable handle
- Forward / reverse lever ensures quick and easy change of direction
- Air exhaust in the handle for pleasant operation
- Quick chuck
- Rubber grip handle

BP026	220x115x40	450	88	<2.50	105	14	10	1.30
-------	------------	-----	----	-------	-----	----	----	------



Top mounted forward / reverse switch: BP025, BP026

All technical specifications are stated at the recommended working pressure of 6.2 bar

▶ BELT SANDER 10 mm



- Adjustable arm
- Including three belts 80, 100 and 120 grits

Belts 25 pcs 80 grits - Suitable for BP212

BP212



▶ ORBITAL SANDER 5 mm



- For central vacuum systems
- Composite housing



▶ PISTOL GRIP SANDER



- Top mounted speed change switch

Accessories suitable for BP204

Description	
BP204/PAD	77 mm Velcro pad
BP204/PAD	



▶ BELT SANDER 20 mm



- Adjustable arm
- Including two belts 100 and 120 grits

Belts 25 pcs 100 grits - Suitable for BP222

BP222



▶ ORBITAL SANDER 2,5 mm



- For central vacuum systems
- Composite housing

Pad - Suitable for BP601 and BP610

BP610



▶ PISTOL GRIP SANDER SET



Including:

- BP204
- 1 x 3" Velcro pad
- 25 x 180 grits, 3"/75mm pads
- 25 x 220 grits, 3"/75mm pads
- 10 x 320 grits, 3"/75mm pads
- 10 x 800 grits, 3"/75mm pads



▶ REVERSIBLE SCREWDRIVER 1.800 RPM



- Composite motor housing
- Two speed trigger
- External adjustable clutch design
 - Forward: Adjustable torque
 - Reverse: Full torque
- Reversible bar on both sides for easy change of direction



▶ REVERSIBLE SCREWDRIVER 800 RPM



- Composite motor housing
- Two speed trigger
- External adjustable clutch design
 - Forward: Adjustable torque
 - Reverse: Full torque
- Reversible bar on both sides for easy change of direction



WHEN TOTAL CONTROL IS A MUST!



The unique clutch design of BP826 and BP827 ensures a total torque control!

WHEN REAL POWER IS A MUST!



With its speed of 10.000 revolutions per minute the BP823 gets the job done in no time

▶ LOW REVOLUTION GRINDER



- Speed control system
- Hexagonal rubber sleeve
- Safety trigger

Exhaust hose for die grinder

BP117EH



										
BP117	50x243x172	7.167	373	2.500	80	1.60	113	1/4	10	1.0

▶ DISC GRINDER



- Composite housing
- Safety trigger

BP823	118x215x147	125	559	10.000	83	<2,50	340	1/4	10	1,80

▶ AIR RIVETER



- Rivet capacity:
3,2 mm
4,0 mm
4,8 mm
6,4 mm

						
BP125	349x543x187	19	1330	1/4	10	2,0

▶ CUT OFF TOOL



- Speed control system
- Rubber sleeve
- Safety trigger
- Swivel connection

BP113	81x190x66	75	373	18.000	98	<2,50	113	1/4	10	0,90

▶ MINI DIE GRINDER



- 3 and 6 mm collet for improved flexibility
- Hexagonal rubber sleeve
- Safety trigger
- Air exhaust control system for pleasant operation
- Swivel connection

										
BP822	55x200x68	3 & 6	250	25.000	85	4,53	170	1/4	10	0,90

▶ RECIPROCATING SAW



- Composite housing
- Safety trigger mechanism
- Directional exhaust system
- Swivel connection
- Three car body saw blades included

Car body saw blades - Suitable for BP824

	mm-teeth
3845-15-10P	10-18
3845-24-10P	10-24
3845-32-10P	10-32



BP824	50x340x90	10.000	85	3,70	160	1/4	10	0,90

▶ NEEDLE SCALER



- Heavy duty
- Low vibration

BP127	70x275x190	3.700	97	8,70	159	1/4	10	2,80

▶ ANGLE GRINDER



- Hexagonal rubber sleeve
- Safety trigger
- Air exhaust control system
- Swivel connection

										
BP115	35x165x75	6	164	20.000	79	<2,50	113	1/4	10	0,90

▶ EXTENDED DIE GRINDER



- 3 and 6 mm collet for improved flexibility
- Hexagonal rubber sleeve
- Safety trigger
- Air exhaust control system for pleasant operation
- Swivel connection
- 95 mm long neck for increased accessibility

Abrasive wheels - Suitable for BP822, BP115 and BP822E

	mm-teeth			mm-teeth	
 BP420M	25	67	 BP430M	12	55
 BP421M	14	53	 BP431M	13	48
 BP422M	28	46	 BP432M	15	44
 BP423M	25	53	 BP433M	14	43
 BP424M	19	57	 BP434M	13	42

For Bahco's extensive range of rotary burs suitable for BP822, BP822E and BP115 please see the Bahco catalogue, www.bahco.com

										
BP822E	55x243x172	3 & 6	200	25.000	89	4,53	113	1/4	10	0,80

▶ CARTRIDGE APPLICATOR



- Enables fast and efficient application of European standard cartridges

				
BP215	90x150x75	80	1/4	10

All technical specifications are stated at the recommended working pressure of 6.2 bar

All technical specifications are stated at the recommended working pressure of 6.2 bar

THE SLUGGER! AIR HAMMER SET

THE FASTEST
The unique quick chuck makes chisel change a piece of cake

HARD HITTING!
The 76 MM LONG STROKE of the EXTRA HEAVY HARD STEEL PISTON ensures striking power as you have never experienced before

DURABLE & SMART
Built of only the most heavy duty materials, solid HIGH GRADE STEEL BARREL, KEVLAR reinforced fluter disc, INBUILT AIR FILTER. All to ensure MAXIMUM TOOL LIFE

COMPLETE
Supplied in robust plastic case including FIVE CHISELS for a wide area of applications

EASY HANDLING
Built in four position air regulator and direct multi-port frontal exhaust ensures comfortable usage

SO SMOOTH...
Even if the power is tremendous, the vibration is nominal. ONLY 1.5m/s² thanks to the dual elastomer cushions that absorb almost all vibration

Accessory chisels - Suitable for BP909K

Type	Shank	Included in BP909K
BP909TF	Turning, flat	Round 10.2mm
BP909TWF	Turning, wide flat	Round 10.2mm
BP909TTP	Turning, tapered punch	Round 10.2mm
BP909TE	Turning, edge claw	Round 10.2mm
BP909TH	Turning, hammer	Round 10.2mm
BP909TSP	Turning, straight punch	Round 10.2mm
BP909NF	Non - turning, flat	Round 10.2mm
BP909NE	Non - turning edge claw	Round 10.2mm

BP909K 100x37x102 10 229 2.500 94 1.5 60 14 10 2.1

PAINT GUN SET

- High volume at low pressure
- High precision provides high quality painting
- Spare nozzle sets covering five diameters
- No seal component design for much longer operation life
- Precise air cap keeps the outlet less than 10PSI
- One piece aluminum housing



Accessories available loose and included with the BPHVLP01

Description	
BPHVLP0110	Nozzle set 1.0 mm
BPHVLP0112	Nozzle set 1.2 mm
BPHVLP0114	Nozzle set 1.4 mm
BPHVLP0117	Nozzle set 1.7 mm
BPHVLP0120	Nozzle set 2.0 mm



BLOW GUN

- Steel nozzle
- Meets O.S.H.A requirements
- Brass inlet



BPHVLP01	100x225x200	2-3.8	600	250	14	5-40	0.70
BP218	19x200x65	≤ 11	156	104	0.15		

All technical specifications are stated at the recommended working pressure of 6.2 bar

WHEN FLEXIBILITY IS A MUST!



Thanks to the double collets included in the BP822, it can drive both 3 and 6 mm inserts

PNEUMATIC WINDSCREEN REMOVER

- Robust design
- Pipe away exhaust
- Low vibration, <2.5 m/s²
- Noise reducing hose



Blades - Suitable for BP233

Description	
BPBK30	Offset comma shaped blades pair in blister
BPBG0725	Offset 13mm shaped blades pair in blister
BPBG0957	Offset 13mm shaped blades pair in blister
BPBU18	U shaped blades pair in blister
BPBU24	U shaped blades pair in blister
BPBU36	U shaped blades pair in blister
BPBU60	U shaped blades pair in blister
BPBU90	U shaped blades pair in blister
BPBG3515	Straight blades pair in blister
BPBG3525A	Straight blades pair in blister
BPBG3525B	Straight blades pair in blister
BPBSC156	Scraper pair in blister

BP233	43x275x75	80.5	<2.5	260	14	10	1.20
-------	-----------	------	------	-----	----	----	------

All technical specifications are stated at the recommended working pressure of 6.2 bar

FEMALE MULTI-PROFILE COUPLER 1/4"



Suitable male profiles

- ISO61508
- AFRC210
- European (German)
- Italian

- Works with four standard male connector profiles
- Security lock enabling the operator to turn on and off the air flow, providing a safer and more simplified operation
 - The tool cannot be disconnected unless the air flow is turned off
 - Simplified operation - ease the connection of the male profile since the air flow can be cut
- Steel construction with composite coating, making it extremely durable
- Air flow: 1,600 l/min at 6.0 bar
- Maximum pressure: 14 bar
- Plug diameter: 6 mm

BP0CF14	30x70x30	10	0.09
---------	----------	----	------

MAGNETIC HOLDER



- Equipped with extra strong magnets that easily holds a 3/4" impact wrench, four impact sockets and one torque tool
- Painted with special and durable paint to avoid damage of the stored tools

BP306	125x350x135	1.00
-------	-------------	------

SPIRAL HOSES



- Polyurethane hose with fixed male threaded connector at both ends

BPH1010	90x30x60	13-13	10	14-14	0.85
BPH1310	90x30x60	13-18	10	12-12	1.0

► PNEUMATIC MARKER



- For fast and secure marking
- Low vibration
- Low air consumption

Spare tip - Suitable for BP799



BP799	17x200x17	13.000	78	<2.00	28	14	10	0.22
-------	-----------	--------	----	-------	----	----	----	------

► AIR FILTER - REGULATOR



- Filters the air to avoid damage caused by dust
- Regulates desired pressure between 1 and 8.5 bar

BP254	80x290x80	14.5	1.5	-5/+60	±3.800	200	12	0.80
-------	-----------	------	-----	--------	--------	-----	----	------

► AIR FILTER - REGULATOR - LUBRICATOR



- Filters the air to avoid damages caused by dust
- Regulates desired pressure between 1 and 8.5 bar
- Automatically lubricates the air to ensure correct operation and longer lifetime of the air tools

BP255	115x215x115	14.5	1.5	-5/+60	±3.800	200	12	1.35
-------	-------------	------	-----	--------	--------	-----	----	------

► STEEL AIR HOSE REEL



- Corrosion resistant
- Adjustable double guide arm
- Ball bearing swivel
- Strengthened frame
- 110° swivel base
- Positive latching system which automatically locks the hose at desired length for increased functionality and comfort

BP485/1315	515x140x254	13.200	15	102-102	24
------------	-------------	--------	----	---------	----

► AIR HOSE REELS



- 180° swivel bracket
- Detachable pin swivel
- Durable corrosion and rough environment resistant polypropylene housing
- Positive latching system which automatically locks the hose at desired length for increased functionality and comfort

BP484/1315	509x539x230	13/16	15	102-102	9.70
BP484/1020	509x539x230	10/14.5	20	3/8-3/8	9.70

► IN LINE MINI LUBRICATOR



- Lubricates the air to ensure correct operation and longer lifetime of the air tools

BP4251	33x60x33	14	0.01
--------	----------	----	------

THE PERFECT COMPANIONS TO BAHCO AIR TOOLS!

► IMPACT SOCKETS AND ACCESSORIES

Always use impact sockets with power tools. For the complete range of Bahco's robust impact sockets from 1/4" to 1 1/2", please see the Bahco catalogue, www.bahco.com

IMPACT SOCKETS AND ACCESSORIES 3/8"

3/8" Impact sockets metric



K7401M-7	7
K7401M-8	8
K7401M-9	9
K7401M-10	10
K7401M-11	11
K7401M-12	12
K7401M-13	13
K7401M-14	14
K7401M-15	15
K7401M-16	16
K7401M-17	17
K7401M-18	18
K7401M-19	19
K7401M-20	20
K7401M-21	21
K7401M-22	22
K7401M-24	24

3/8" Impact adaptors, bit holder



T407H	14	3/8
T408H	5/16	3/8
T409H	11 mm	3/8

3/8" Clamping springs



K380P-1	3/8	7-12	ES-E14
K380P-3	3/8	13-19	

3/8" Impact sockets metric deep



K7403M-10	10
K7403M-12	12
K7403M-17	17

IMPACT SOCKETS AND ACCESSORIES 1/2"

1/2" Impact sockets metric



K7801M-8	8
K7801M-9	9
K7801M-10	10
K7801M-11	11
K7801M-12	12
K7801M-13	13
K7801M-14	14
K7801M-15	15
K7801M-16	16
K7801M-17	17
K7801M-18	18
K7801M-19	19
K7801M-20	20
K7801M-21	21
K7801M-22	22
K7801M-23	23
K7801M-24	24
K7801M-25	25
K7801M-26	26
K7801M-27	27
K7801M-28	28
K7801M-29	29
K7801M-30	30
K7801M-32	32
K7801M-34	34
K7801M-36	36

3/8" Impact extensions



K7790C-1	75	3/8	3/8
K7790C-2	150	3/8	3/8

3/8" Impact ball joint



K7787B	3/8	3/8
--------	-----	-----

3/8" Impact adaptors



K916AC	1/4	3/8
K918AC	1/2	3/8

1/2" Impact sockets metric



K7811M-17	17
K7811M-19	19
K7811M-22	22
K7811M-24	24